Budget Bureau	No. 42-R358.4
Approval expir	es 12-31-60.

For	ob. 19	891 a			e i see	2 ²² 3 ~
AF	7	T	Ĵ	JV		
	Jl	N	2 4	195	В	
	.出 ! S.T	A.	Dυ	PON	T EER	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Approval expires 12-31-ou.
060944
060944
Lesse No.
Unit
6.7

OTICE OF INTENTION TO DRILL	SUBSE SUBSE PAIR WELL SUBSE CASING SUBSE SUBSE SUBSE SUBSE SUPPL	EQUENT REPORT OF WATER SHUT-OFF. EQUENT REPORT OF SHOOTING OR ACII EQUENT REPORT OF ALTERING CASING. EQUENT REPORT OF RE-DRILLING OR RE EQUENT REPORT OF ABANDONMENT	DIZING
(INDICATE ABO		REPORT, NOTICE, OR OTHER DATA)	, 19
1. R	19 80 , 4N)	ne and $\frac{1980}{W}$ ft. from $\frac{E}{W}$	line of sec.
ell No. is located	255 37E	ne and	
S/W - N/E 1/4 englic Mattix	(Twp.) (Range)	(Meridian) Menal	30
(Field)	(County or Subdivision	on) (State or	Territory)
ate names of and expected depths to obj	DETAILS OF ective sands; show sizes, weights ing points, and all other impo	WORK s, and lengths of proposed casings; indertant proposed work)	icate mudding jobs, come
we proposed to dril we will drill to 33	DETAILS OF settive sands; show sizes, weights ing points, and all other impound in the sand sizes. Sand Soo. setting 300 to the sand size of t	WORK s, and lengths of proposed casings; indertant proposed work) d well. top expect 1 24# 8 878" J 55	. set with
we proposed to dril	DETAILS OF settive sands; show sizes, weights ing points, and all other impossions. Sand \$50. setting 300 to 1/2 # J 55. Hallers at shoe. 10	WORK s, and lengths of proposed casings; indertant proposed work) d well. top expect 0 24 8 878" J 55 lliburton D V toll 0 sacks through D	. set with
we proposed to dril we will drill to 3; 200 make of commit 3349° of 5 1/2" 15 coment with 200 sad sendfrac with 10.00	DETAILS OF settive sands; show sizes, weights ing points, and all other impossions. 1 A Quenes sand 350. setting 300. 1/2 # J 55. Haileks at shoe. 100 # of sand fr	WORK s, and lengths of proposed casings; indertant proposed work) d well. top expect 0 24# 8 5/8" J 55 liburton D V toll 0 sacks through D cm 3280 to 3300	. set with set at 1000 V tool
3349° of 5 1/2" 15 coment with 200 sad sendfrag with 10.00	DETAILS OF sective sands; show sizes, weights ing points, and all other impossions. I A Quenes sand \$50. setting 300 to \$1/2 # J 55. Hallers at shoe. 100 \$ of sand from the sand from t	WORK s, and lengths of proposed casings; indertant proposed work) d well. top expect 0 24# 8 5/8" J 55 liburton D V toll 0 sacks through D cm 3280 to 3300	set at 1000 V tool