


COPY TO O. C. C.



HOBBS

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYLand Office Las CrucesLease No. 0-0913 NM-01995

Unit \_\_\_\_\_

E. J. Langlie

RECEIVED

DEC 1 1954

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 29, 1954

Well No. 1-A Langlie is located 1980 ft. from N line and 1780 ft. from W line of sec. 14

Sec. 34 Section 14 255 37E R4M  
(Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Langlie Battix Lea New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill this well to the approximate total depth of 3250' in the Queens. We propose to set approximately 300' of 8-5/8" surface casing using 200 sacks of cement. Cement to set for 24 hours. Set approximately 3170' of 5-1/2" casing using 300 sacks of cement, 2-Stage. Cement to set 48 hours.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company R. OlsonAddress Drawer 2Jal, New MexicoBy Johnnie FunchTitle Superintendent