

U.S. GEOLOGICAL SURVEY

RECEIVED

DEC - 7 1936

ROSWELL, NEW MEXICO

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

U.S. and Office

Serial Number 2-20011-2

Lease or Permit 20244

T.J. Langlois #1

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT RECORD OF SHOOTING.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	RECORD OF PERFORATING CASING.....	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF.....	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING.....	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF.....	NOTICE OF INTENTION TO ABANDON WELL.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO SHOOT.....	SUPPLEMENTARY WELL HISTORY.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 4, 1936

Following is a {notice of intention to do work} on land under {permit} described as follows:  
{report of work done} {leave}

Well No. 1  
(State or Territory) (County or Subdivision) (Field)  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 2200 ft. {N} of line and 200 ft. {E} of line of sec. 18  
{S} {W}

The elevation of the derrick floor above sea level is 4000 ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

This well was shot w/ 100 qts of ammonium nitrate-glycerin, from 6110' to 6040' on October 28th, 1936. A longline fishing job for baiter and pump followed the shooting. When we were able to get to bottom with tools, it was found that the shot had broken thru a line shell at the bottom of the hole. Original total depth was 6110' and new bottom was found at 6040'. Water had entered hole from strata below line shell. Hole was plugged 100 yd. sand and gravel to 6040' and water was found to be shut off. Evaluation from core made when taking, but well would not flow. Drilled out sand plug to 6040'. Water was still shut off. 3" tubing was run w/ perforation at 6040'. After working well to start flow, well made 10 bbls. in 24 hours thru 12/31" choke. No water.

Approved (Date)

(Signature)

Title Regional Supervisor  
GEOLOGICAL SURVEY

Address Roswell, New Mexico

Company Standard Oil and Gas Company

By (Signature)

Title Chief Representative

Address Roswell, New Mexico

NOTE.—Reports on this form to be submitted in triplicate to the Supervisor for approval.

GOVERNMENT PRINTING OFFICE 6-7053