- Submit Copies To Appropriate District State of New Mexico	Form C-103	
Office Ene. , Minerals and Natural Resources District	Revised March 25, 1999 WELL API NO.	
1625 N. French Dr., Hobbs, NM 87240	30-025-11608	
District II OIL CONSERVATION DIVISION	5. Indicate Type of Lease	
811 South First, Artesia, NM 87210  District III  2040 South Pacheco	STATE FEE 🛣	
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV	6. State Oil & Gas Lease No.	
2040 South Pacheco, Santa Fe, NM 87505	7. Lease Name or Unit Agreement Name:	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	Langlie Mattix Queen Unit	
1. Type of Well: Oil Well  Gas Well Other	o will	
2. Name of Operator	8. Well No.	
Prize Operating Company 3. Address of Operator	9. Pool name or Wildcat	
3500 William D. Tate, Suite 200, Grapevine, Texas 76051	Langlie Mattix, 7 Rivers-Q-Grayburg	
4. Well Location  1979 feet from the North line and	1982 feet from the <b>East</b> line	
Unit Letter		
Section 15 Township 25S Range 37E 10. Elevation (Show whether DR, RKB, RT, GR,	NMPM County Lea	
3097 <sup> </sup> GR	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
11. Check Appropriate Box to Indicate Nature of Notic	e, Report, or Other Data	
NOTICE OF INTERVAL MOD	JBSEQUENT REPORT OF:  K	
PERFORM REMEDIAL WORK		
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRI	ABANDONMENT	
PULL OR ALTER CASING	ND 🗀	
OTHER: OTHER:		
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and of starting any proposed work). SEE RULE 1103. For Multiple Completions: Atta or recompilation.	d give pertinent dates, including estimated date ach wellbore diagram of proposed completion	
Please find attached the plugging record for the above mentioned	d well as directed by the OCD	
1 Least few knowledge and h	elief	
I hereby certify that the information above is true and complete to the best of my knowledge and b		
SIGNATURE TITLE Regulatory	Consultant DATEDATE	
Type or print name Joel Ward	Telephone No. 817-424-0443	
	MAY 4 - 0000	
APPROVED BY WYNT OF THE PROVED BY	ANCE OFFICER DATE MAY 1 5 2002	
Conditions of approval, if any:  TCS GWW		

## Prize Operating Company Langlie Mattix Queen #16 Plug and Abandon Report

## Plugged 12-28-00

- 1. MIRU, RIH with 7 " tubing set CIBP on 2 3/8" tubing set @ 3050'
- 2. Circulate well with 10# B/W and Gel
- 3. Spot 15 SX Class "C" cement on top of CIBP WOC & TAG TOC @ 3000'
- 4. P.U.H to 839' spot 25 SX Class "C" cement P.O.O.H
- 5. Perforate @ 403' RIH with 7" packer to 200' squeeze with 60 SX Class "C" cement WOC & TAG no cement, resqueeze with 60 SX Class "C" cement WOC & TAG TOC @ 283'
- 6. PUH to surface spot 10 SX Class "C" cement install dryhole marker, RDMO

Casing Detail Left in Well

353' 10 3/4" - 32.75# 3144' 7" -24# (353') 10 3/4" - 32.75# (3144') 7" - 24#

Plugging Company Tejas Trucking, Inc. P.O. Box 1767 Andrews TX 79714

Plugging Supervisor Corey Bruton (915)523-5786

	- U11 - R	AMMATIC W	/= / / S		
	LANGLIE SIA	TILY QUE TO 1			
	LANGLIE MATTIN (QUEEN) FIELD				
		A COUNTY NE	W/ MEXICO	·	
🗘 .	. / v	<del></del>	ed. 72 E ser e B		
"CURREN	) <del>/</del>	-			
		123	G.L. Elev	1= 3007'	
•			THE LOSK CONT K. P. E.F.	7= 3,097°	
		The state of the s	Surface Plug	-	
	•	(=3 ·.i.)			
		(35): 1	1 283'		
103/1-3270	Ft Set wilsosx	G. J. January	1112		
1874 56757	FL 3E/ W//303X		353'		
				-	
50-1			1. 1		
Jazi	eaks 500,930 £ 370 230 sx	" (: )	#5. 403' Perfld		
(12)	23631		111		
		) i i i i i i i i i i i i i i i i i i i	1.1730 calc.		
			(1) 25 SX CMT Plug	•	
a 1 //		1.3/	25 SX CMT Plug		
LMT. th	rutool u11580s.	<u>) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (</u>	1262'		
		7 1	7262		
		7 1 .	1 (		
	,	7 1	1 (		
· ·		1	1 (		
		िक्ष			
		(F)			
		- E의			
		( <del></del> )	(a. )	•	
		(청			
		<u>{~≜</u> }	[ <del>2</del> ]		
		\\\ \frac{\pi}{2} - \right	[44]		
		( <del>)</del>	(E)		
		F.5.			
		(8)			
		{·}	5) Cata Da A 11		
		同 (記)	Yates Partorations	<u>:</u>	
		· [4]	2660 - 2860 Sa	- 1	
		[2]	3	2011/3003	
	•		<i>ો</i>		
	•	)-234 - III	<del>[4]</del>		
		151	<del>-</del>		
	·	[A	e-1		
		[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]	₹{		
		-154 ti	<del>(</del>		
			TOC 3000'		
1" 20 11/4 C	1 x1 730 s x in 2 stag 1150 s x 2 md thru too	1 2 1 1 1 1 1 1 1 1 1 1	- 15 SX CMT Plug ON CIBP		
1- 21 PE, Del	W/ 730 SX in 25/29	101			
TIPSTONDEM. N	71505x 2nd thru too		SCIBPE 3050'		
27/262 w75	805x.		F = 1		
	<del></del>		3144		
		} {	,		
		) 1	2 2 2 2 2 1		
			3300'		
		<u> </u>	3,383'		
		7			
		<u>}</u>	3,385' P.B.T.	D	
10-15-73					
			2 / _/ -		
15W			3,610° T.D.		