

Santa Fe, New Mexico

R.O. 709

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Jal, New Mexico


5-21-51

OIL CONSERVATION COMMISSION, To change name of Operator to Co.  
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as  
Olsen Blount Oil Co. Gutzman 18-2 NW 3E

Company or Operator 37E well No. 18-2 in NW 3E  
of Sec. 18, T. 25S, R. 37E, N. 1980 P. M., Field, Langille-Mattix Le. South County. 1980  
The well is 111 feet (N.) (S.) of the East line and 111 feet  
(E.) (W.) of the East line of Sec. 18-25S-37E



AREA 640 ACRES

LOCATE WELL CORRECTLY  
Cable Rig — Rotary tools to TD

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Lewis Gutzman Assignment No.

If patented land the owner is New York City, New York

Address

If government land the permittee is

Address

The lessee is Olsen Blount Oil Company

Address Drawer 2 Jal, New Mexico

We propose to drill well with drilling equipment as follows: 0-300'

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Bond

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Seals Cement
11 1/2	8 5/8	29#	New	300	Cemented	150
7 7/8	5 1/2	15#	New	3200	Cemented 2-staged	400-200 at shoe 200 thru 2-stage tool set at approx 1200'

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 2500 feet.

Additional information:

Approved JUN 18 1951, 1951  
except as follows:

Sincerely yours,

OLSEN BLOUNT OIL CO. OIL CONSERVATION COMMISSION  
Company or Operator HOBBS-OFFICE

By Dwight WatsonPosition Geological Engineer

Send communications regarding well to:

Name OLSEN BLOUNT OIL CO.Address Drawer 2 Jal, New Mexico

OIL CONSERVATION COMMISSION,  
By Nory Jankovich  
Title Oil & Gas Inspector

RECEIVED

JUN 18 1951

OIL CONSERVATION COMMISSION  
HOBBS-OFFICE