



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Anderson-Prichard Oil Corporation, Box 1697, Hobbs, New Mexico.
Company or Operator Address
C.M. Carlson Well No. 2 in C SW NW of Sec. 21, T. 25S
Lease
R. 37E N. M. P. M., Jal Sand Area Field, Lea County.
Well is 1980 feet south of the North line and 4620 feet west of the East line of Sec 21-25S-37E
If State land the oil and gas lease is No. Assignment No.
If patented land the owner is Address
If Government land the permittee is C. M. Carlson Address
The Lessee is deepening Address
Drilling ~~XXXXXX~~ 2-16 19 37 ~~XXXXXX~~ was completed 2-20 19 37
Name of drilling contractor Herschback Drilling Co. Address Dallas, Texas
Elevation above sea level at top of casing 3063 feet.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES
No. 1, from 2852 to 2860 G No. 4, from to
No. 2, from 2872 to 2920 No. 5, from to
No. 3, from 2931 to 2950 No. 6, from to

IMPORTANT WATER SANDS
Include data on rate of water inflow and elevation to which water rose in hole.
No. 1, from 370 to 400 feet. 8 bailer per hr
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

| CASING RECORD | | | | | | | | |
|---------------|-----------------|------------------|------|--------|--------------|-------------------|--------------------|---------|
| SIZE | WEIGHT PER FOOT | THREADS PER INCH | MAKE | AMOUNT | KIND OF SHOE | CUT & FILLED FROM | PERFORATED FROM TO | PURPOSE |
| 16" | 70# | 8 | Smls | 105 | none | | | |
| 13" | 50# | 8 | " | 357 | TP | All Pulled | | |
| 10 3/4" | 40# | 8 | " | 740 | TP | " " | | |
| 8-5/8" | 32# | 8 | " | 1265 | TP | | | |
| 7" | 20# | 10 | " | 2852 | TP | | | |
| 5 1/2" | 17" | 10 | " | 91 | none | (Liner) | | |

| MUDDING AND CEMENTING RECORD | | | | | | |
|------------------------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
| 20" | 16" | 105 | 40 | Halliburton | 10# gal | circulated |
| 10" | 8-5/8" | 1265 | 30 | " | " | " |
| 8 5/8" | 7" | 2852 | 100 | " | " | " |

PLUGS AND ADAPTERS
Heaving plug—Material Length Depth Set
Adapters—Material Size

| RECORD OF SHOOTING OR CHEMICAL TREATMENT | | | | | | |
|--|------------|----------------------------|----------|---------|-----------------------|-------------------|
| SIZE | SHELL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY | DATE | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
| 4" | 52' | LNG | 130 qt | 1-18-37 | 2873-2925 | Bottom 2950 |

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS
If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED
Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from 0 feet to 2925 feet, and from 2925 feet to 2950 feet

PRODUCTION
After deepening
Put to producing 2-22 1937
The production of the first 24 hours was 69 barrels of fluid of which 100 % was oil; %
emulsion; % water; and % sediment. Gravity, Be
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in.

EMPLOYEES
Jack Lightfoot Driller C.E. Owen Driller
H.H. Wyatt Driller

FORMATION RECORD ON OTHER SIDE
I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this Place Date

FORMATION RECORD

| FROM | TO | THICKNESS IN FEET | FORMATION |
|-------------------|----------------------|----------------------|--|
| 0 2925 2931 | 2925 2931 2950 | 2925 6 19 | Previously submitted Lime Sand - Increase in oil and gas |