

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	<input checked="" type="checkbox"/>	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Eunice, New Mexico

April 5, 1938

Place

Date

OIL CONSERVATION COMMISSION,

Santa Fe, New Mexico.

Gentlemen:


Following is a report on the work done and the results obtained under the heading noted above at the _____
AMERADA PETROLEUM CORPORATION'S **FRANCIS STUART** Well No. **1** in the
 Company or Operator
NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. **22**, T. **25-S**, R. **37-E**, N. M. P. M.,
Langlie Field, **Lea** County.

The dates of this work were as follows: **April 4, 1938**

Notice of intention to do the work was ~~XXXXXX~~ submitted on Form C-101 on **March 31, 1938**,
 and approval of the proposed plan was ~~XXXXXX~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Drilling on this well began April 4, 1938.



DUPLICATE

Witnessed by **Jack Starkey** **South States Drilling Co.** **Tool-pusher**
 Name Company Title

Subscribed and sworn to before me this _____

5th day of April, 1938

Louis A. Mansue
 Notary Public

My Commission expires **December 21, 1940**

I hereby swear or affirm that the information given above is true and correct.

Name *Jo Lann*Position **Superintendent,**Representing **AMERADA PETROLEUM CORPORATION**
 Company or OperatorAddress **Drawer "O", Hobbs, New Mexico**

Remarks:

Guy Shepard
 Name

Title

APR 5 1938

NEW MEX OIL CONSERVATION COMMISS

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	X	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DREPEN WELL			

Eunise, New Mexico

April 6, 1938

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the


Amerada Petroleum Corporation's **Francis Stuart** Well No. **1** in **NE $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$**
Company or Operator Lease
 of Sec. **22**, T. **25**, R. **37**, N. M. P. M., **Langlie** Field,
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

10-3/4" 40# 8 Tbd. Second-hand Lapweld casing was set in this well at 162'1" and cemented by the Halliburton method with 150 sacks. (Cement circulated) Job completed at 11:00 P.M. 4-5-38.

The casing will be allowed to stand undisturbed for 48 Hours. The cement will then be drilled out of the casing and the hole bailed dry and allowed to stand undisturbed for one hour. The bailer will then be run to bottom again to determine if any water has accumulated. If no water has accumulated, the drilling will then be resumed.



DUPLICATE

Approved

except as follows:

Amerada Petroleum Corporation,
Company or Operator

By

Position

Superintendent.

Send communications regarding well to

Name **J.E. Low**Address **Drawer "C"****Hobbs, New Mexico.**

OIL CONSERVATION COMMISSION,

By

Title

Oil & Gas Inspector

