

COPY

October 10th, 1936.

Eppenauer Drilling Company,
Trinity Life Building,
Fort Worth, Texas.

Gentlemen:

This is answering your letter of October 2nd, 1936 addressed to Mr. Glenn Staley, Proration Umpire, Oil Conservation Committee, Hobbs, New Mexico, re: Circular No. 1 Rule No. 39-Bonds.

In accordance with your request, I am enclosing herewith three form bonds. If you desire a blanket bond, use Form 39-A, which is the amount of \$10,000.00 and is a Surety Company Bond. Form 39-B is a bond for one well on State owned land. The amount of this bond is \$5000.00 and is a Surety Company Bond. Form 39-C is a surety company bond for one well on patented land, and should be in the amount of \$5000.00.

In order not to delay you, am sending all three bonds, and you may execute the one which fits your needs.

Very sincerely yours,

Frank Vesely, Secretary
Oil Conservation Commission

K
Enc.-3

490

• 0011, 1101 15/07/00

1. The first of these is the fact that the
2. The second is the fact that the
3. The third is the fact that the

the other

[illegible][illegible]

in order not to delay you, I am sending all three
 and you may have the one which fits your
 needs.

STUDY NUMBER: 1597

ynterfere y least degree
 no uniform noitavation y 110

100

OWWO

COUNTY LEA FIELD Langlie-Mattix STATE NM MT. 11/69

OPR MOBIL OIL CORP. MAP

29 Langlie-Mattix Queen Unit

Sec 22, T-25-S, R-37-E CO-ORD

330' PNL, 1650' FEI of Sec

Re-Spd 12-29-70

	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
<u>Re-Cmp 1-18-71</u>				
CSG & SX - TUBING				
<u>15 1/2" at 250' w/200 sx</u>				
<u>8 5/8" at 1225' w/250 sx</u>				
<u>7" at 2897' w/250 sx</u>				
<u>1 1/2" in 2851-3398'</u>				
LOGS EL GR RA IND HC A				
	<u>TD 3410'; PFD 3391'</u>			

(Queen) Perfs 3272-3386' NO NEW POTENTIAL.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT PROP DEPTH 3386' TYPE W

DATE

P.R.C. 2-4-71;
FD 3386' WC (Queen)
(Orig. Eppinger, A. R. #1 Ameradrill - 31-1-70 as
F. Stewart, comp 3-26-37 from OH 289-3410'
OTD 3410'; OWWO & Re-Cmp 11-24-66 as #1
Stewart, F. S. E., thru Perfs 3114-40'
OPB 3398')
2-2-71 FD 3410'; PFD 3391'; COMPLETE
30 to 3391'
Perf 3272-78', 3286-88', 3292-93',
3379-86' w/2 SPF
Acid (3379-86') 500 gals
Swbd 2 1/2 BW in 4 hrs (3379-86')
Acid (3272-98') 500 gals
Swbd 1 1/2 BW in 1 hr (3272-98')
Spd 66 BNO + 4 BW in 24 hrs (3272-3386')
2-4-71 COMPLETION REPORTED