

WIMBERLEY SAMPLE LOG (CONT'D)

4700-10	Dolomite tan-pink Fine Cryst.
10-20	ditto (FLORESCENCE 10%)
20-30	ditto
30-40	ditto
40-50	ditto VERY SLIGHT SHOW OIL
50-60	ditto
60-70	ditto inc. Dolomite tan
70-80	ditto
80-90	ditto SLIGHT SHOW OIL
90-00	ditto
4800-10	ditto (FLORESCENCE 20%)
10-20	ditto
20-30	ditto. Trace Dolomite sucrose Fine Cryst. Fair porosity SLIGHT SHOW OIL (circulate 1 Hr. at 4825 Samples showed inc. of above)
30-40	Dolomite tan sucrose Fair porosity and FAIR SHOW OIL (FLORESCENCE 90%)
40-50	ditto (FLORESCENCE 50%)
50-60	Dolomite tan sucrose Good porosity and GOOD SHOW OIL (FLORESCENCE 50%)
60-70	Dolomite tan dense Fair stain oil (FLORESCENCE 70%)
70-80	Dolomite tan Good porosity FAIR SHOW OIL (Florescence 20%)
80-90	ditto GOOD SHOW OIL (FLORESCENCE 10%) Good porosity
90-00	ditto (FLORESCENCE 80%)

RAN DRILL STEM TEST: Packer set at 4700 bottomed at 4870. Tool open 35 min. Showed strong blow gas in 4 min. Estimated 7 to 8 MCF thru 5/8ths inch Bottom Hole Choke. Recovered 90 ft. Distillate out mud and 90 ft. Oil out mud. No water. Flowing pressure 1000#s, Bottom Hole Pressure 2000#s, Hydrostatic Pressure 2300#s, Mud 9.7#s, Visc. 35 sec. Water Loss 24.

4900-10	ditto Less porosity (Florescence 10%)
10-20	ditto Fair Porosity (Florescence 15%)
20-30	ditto Fair show oil
30-40	ditto
40-50	ditto (Florescence 50%)
50-60	ditto (Florescence 90%)
60-70	ditto Fair show oil (Florescence 10%)
70-80	Dolomite gry-wht. No show trace shale black.
80-90	ditto
90-00	ditto
5000-10	Dolomite pinkish gry dense
10-20	Dolomite pink dense
20-30	ditto
30-40	ditto (Florescence 20%)
40-50	Dolomite gry-tan dense (Florescence 30%)
50-60	Dolomite drk gry silty (Trace Florescence)
60-70	Dolomite tan dense (tan drystals in fine ground mass)
70-80	Dolomite gry dense Very slight show oil.
80-90	ditto
90-00	ditto Slight porosity (Trace Florescence)
5100-10	Dolomite gry dense
10-20	Dolomite lgt. pink dense
20-30	ditto & pink
30-40	ditto
40-50	Dolomite gry-tan dense
50-60	Dolomite drk. gry silty
60-70	Dolomite tan dense
70-80	ditto
80-90	ditto
90-00	ditto
5200-10	ditto
10-20	ditto
20-30	ditto trace pink lithographic (Trace Florescence)
30-40	ditto Slight trace pin-point porosity
40-50	ditto (Trace dead oil.
50-60	Dolomite tan-gry dense
60-70	ditto
70-80	ditto No florescence
80-90	ditto
5300-10	ditto trace sand black fine

Sample No.	Description	Depth (ft)	Remarks
100-00	ditto (fluorescence 80%)	90-00	
100-01	ditto (fluorescence 10%)	80-00	
100-02	ditto	70-00	
100-03	ditto	60-00	
100-04	ditto	50-00	
100-05	ditto	40-00	
100-06	ditto	30-00	
100-07	ditto	20-00	
100-08	ditto	10-00	
100-09	ditto	0-00	
100-10	ditto less porosity (fluorescence 10%)	100-10	
100-11	ditto fair porosity (fluorescence 15%)	100-11	
100-12	ditto fair show oil	100-12	
100-13	ditto	100-13	
100-14	ditto (fluorescence 80%)	100-14	
100-15	ditto (fluorescence 90%)	100-15	
100-16	ditto fair show oil (fluorescence 10%)	100-16	
100-17	ditto (fluorescence 10%)	100-17	
100-18	ditto (fluorescence 10%)	100-18	
100-19	ditto (fluorescence 10%)	100-19	
100-20	ditto (fluorescence 10%)	100-20	
100-21	ditto (fluorescence 10%)	100-21	
100-22	ditto (fluorescence 10%)	100-22	
100-23	ditto (fluorescence 10%)	100-23	
100-24	ditto (fluorescence 10%)	100-24	
100-25	ditto (fluorescence 10%)	100-25	
100-26	ditto (fluorescence 10%)	100-26	
100-27	ditto (fluorescence 10%)	100-27	
100-28	ditto (fluorescence 10%)	100-28	
100-29	ditto (fluorescence 10%)	100-29	
100-30	ditto (fluorescence 10%)	100-30	
100-31	ditto (fluorescence 10%)	100-31	
100-32	ditto (fluorescence 10%)	100-32	
100-33	ditto (fluorescence 10%)	100-33	
100-34	ditto (fluorescence 10%)	100-34	
100-35	ditto (fluorescence 10%)	100-35	
100-36	ditto (fluorescence 10%)	100-36	
100-37	ditto (fluorescence 10%)	100-37	
100-38	ditto (fluorescence 10%)	100-38	
100-39	ditto (fluorescence 10%)	100-39	
100-40	ditto (fluorescence 10%)	100-40	
100-41	ditto (fluorescence 10%)	100-41	
100-42	ditto (fluorescence 10%)	100-42	
100-43	ditto (fluorescence 10%)	100-43	
100-44	ditto (fluorescence 10%)	100-44	
100-45	ditto (fluorescence 10%)	100-45	
100-46	ditto (fluorescence 10%)	100-46	
100-47	ditto (fluorescence 10%)	100-47	
100-48	ditto (fluorescence 10%)	100-48	
100-49	ditto (fluorescence 10%)	100-49	
100-50	ditto (fluorescence 10%)	100-50	