

CWP-3

COUNTY	LEA	FIELD	Justis	STATE	MN	1131
OPR	GETTY OIL CO.			MAP		
	9 Coates, A. E. "C"			CO.ORD		
	Sec 24, T-25-S, R-37-E					
	1980' FSL, 1980' FEL of Sec					
	Re-Cmp 2-16-71	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING						
13 3/8" at 536' w/525 sx						
9 5/8" at 3364' w/1300 sx						
7" at 7950' w/653 sx						
LOGS EL GR RA IND HC A						
	TD 8075'; PBD 6691					
(Montoya) Perfs 6634-79' NO NEW POTENTIAL.						

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Shading Bar Co. Inc.

CONT
 DATE

FROM DATE 66/9'

TYPE W

F.R.C. 3-18-71; Opr's Elev. 3085' DF
 PD 6679' WO (Montoya)
 (Orig. Tidewater Oil Co., comp 1-2-58 from
 (Ellenburger) OH 7950-8075', OTE 8075'; OWWO
 comp dual 4-13-59 thru (Drinkard) Perfs 5910-30'
 & (Ellenburger) OH 7950-8075', OTE 8075'; OWWO
 & Re-Cmp 7-18-67 thru (Drinkard) Perfs 5910-30'
 & (Ellenburger) Perfs 7910-30', OTE 7951'; OWWO
 & Re-Cmp 9-12-68 thru (Drinkard) Perfs 5910-30'
 & (Ellenburger) Perfs 7857-72', OTE 7889'; OWWO
 & Re-Cmp 7-25-70 thru (Montoya) Perfs 6728-6802'
 OPB 7585')
 3-15-71 TD 8075'; PBD 6691'; COMPLETE
 Set Kat @ 6691'
 Sqzd Perfs (6728-6802') w/100 sx.

Justis NM Sec 24, T25S, R37E
9 Coates, A. E. "G" Page #2

3-15-71

Continued

Perf (Montoya) 6647-58' w/1 SPF

Acid (6647-58') 1000 gals (15% NE)

Swbd Dry

Perf (Montoya) 6634-36', 6647-58', 6660-65',
6670-72', 6676-79' w/1 SPF

Acid (6634-6679') 3000 gals (15% HCl)

3-16-71

COMPLETION REPORTED

JWO

COUNTY LEA FIELD Justis STATE MN 11731

OPR GETTY OIL CO. MAP

9 Coates, A. B. "C"

Sec 24, T-25-S, R-37-E CO-ORD

1980' FSL, 1980' FEL of Sec

Re-Spd 7-22-70 CLASS OWOF EL 3085E

Re-Cmp 7-25-70

	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
13 3/8" at 536' w/525 sx				
9 5/8" at 3364' w/1300 sx				
7" at 7950' w/653 sx				
LOGS EL GR RA IND HC A				

TD 8075'; PED 7585'

IP (Montoya) Perfs 6728-6802' F 281 BOPD + 16 EW. Pot based on
18 hr test thru 30/64" chk; GOR 830; Grav 36.8; CP Pkr; TE 300#.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 6802' TYPE WO
DATE

F.R.C. 8-20-70;
PD 6802' WO (Montoya)
(Orig. Tidewater Oil Co., comp 1-2-58 from (Ellen)
OH 7950-8075', OTD 8075'; OWWO & comp dual 4-13-59
thru (Drinkard) Perfs 5910-36' & (Ellen) OH 7950-
8075', OTD 8075'; OWWO & Re-Cmp 7-18-67 thru
(Drinkard) Perfs 5910-36' & (Ellen) Perfs 7910-30',
OPB 7931'; OWWO & Re-Cmp 9-12-68 thru (Drinkard)
Perfs 5910-36' & (Ellen) Perfs 7857-72', CPB 7889'
8-17-70 TD 8075'; PBD 7585'; COMPLETE
PB to 7585'
Perf 6728-36', 6744-50', 6753-60', 6798-6802'
w/1 SPF
Acid (6728-6802') 2000 gals
Drinkard Perfs 5910-36, Packed Off
8-20-70 COMPLETION REPORTED