

OWWO

COUNTY LEA FIELD Justis STATE NM MN 11741

OPR GETTY OIL CO. MAP

19 Coates, A. B. "C"

Sec 24, T-25-S, R-37-E CO-ORD

990' FSL, 990' FEL of Sec

| Re-Cmp 9-30-71                                                                                  |       | CLASS               |       | EL <u>3069</u> |  |
|-------------------------------------------------------------------------------------------------|-------|---------------------|-------|----------------|--|
| FORMATION                                                                                       | DATUM | FORMATION           | DATUM |                |  |
| CSG & SX TUBING<br>13 3/8" at 540' w/550 sx<br>9 5/8" at 3325' w/900 sx<br>7" at 7847' w/700 sx |       |                     |       |                |  |
|                                                                                                 |       |                     |       |                |  |
|                                                                                                 |       |                     |       |                |  |
|                                                                                                 |       |                     |       |                |  |
|                                                                                                 |       |                     |       |                |  |
| LOGS EL GR RA IND HC A                                                                          |       | TD 7940'; PBD 6790' |       |                |  |

IP (Blinebry) Perfs 5200-5542' F 327 BOPD + 54 BW. Pot based on 8 hr test thru 21/64" chk. GOR 1188; Grav 37; CP Pkr; TP 550#.

Distribution limited and publication prohibited by subscribers' agreement.  
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 5542' TYPE WO

10-12-71

F.R.C. 10-14-71; Opr's Elev. 3069' DF  
PD 5542' WO (Blinebry)  
(Orig. Tidewater Oil Co., #119 Coates, A. B.  
"C" comp 3-14-59 thru (McKee) Perfs 7326-  
75' & from (Ellenburger) OH 7847-7940';  
OTD 7940'; OWWO & Re-Cmp by Getty Oil Co.  
on 2-10-69 thru (McKee) Perfs 7326-75' &  
(Ellenburger) Perfs 7736-70'; OTD 7940')  
TD 7940'; PBD 6790'; COMPLETE  
PB to 6790'  
Perf @ 5200'; 5225'; 5246'; 5272'; 5283';  
5287'; 5300'; 5312'; 5318'; 5325'; 5335';  
5341'; 5351'; 5363'; 5372'; 5381'; 5389';  
5416'; 5438'; 5448'; 5453'; 5511'; 5519';  
5542' w/1 SPI  
Acid (5200-5542') 1000 gals

LEA  
GETTY OIL CO.

Justis NM  
#19 Coates, A. B. "C"

Sec 24, T25S, R37E  
Page #2

10-12-71

Continued

10-14-71

Frac (5200-5542') 60,000 gals wtr + 90,000# sd  
COMPLETION REPORTED

COUNTY LEA FIELD Justis STATE NM MN 11741  
 OPR GETTY OIL CO. MAP  
19 Coates, A. B. "C"  
Sec 24, T-25-S, R-37-E CO-ORD  
990' FSL, 990' FEL of Sec.

| Re-Cmp 9-29-71           |       | CLASS               |       | OWDF EL 30692 |  |
|--------------------------|-------|---------------------|-------|---------------|--|
| FORMATION                | DATUM | FORMATION           | DATUM |               |  |
| CSG & SX - TUBING        |       |                     |       |               |  |
| 13 3/8" at 540' w/550 sx |       |                     |       |               |  |
| 9 5/8" at 3325' w/900 sx |       |                     |       |               |  |
| 7" at 7847' w/700 sx.    |       |                     |       |               |  |
| LOGS EL GR RA IND HC A   |       |                     |       |               |  |
|                          |       | TD 7940'; PBD 6790' |       |               |  |

(Blinebry) Perfs 5200-5542' NO CHANGE.

IP (Tubb-Drinkard) Perfs 5776-5940' F 53 BOPD + 38 BW. Pot  
 based on 24 hr test thru 24/64" chk. GOR 1717; Grav 35.2; ST 1kr;  
 TP 180#.

Distribution limited and publication prohibited by subscribers' agreement.  
 Reproduction rights reserved by Williams & Lee Seating Service, Inc.

CONT. PROP DEPTH 5940' TYPE  
 DATE

F.R.C. 10-28-71; Opr's Elev. 3069' DF  
 PD 5940' WO (Tubb-Drinkard)  
 (Orig. Tidewater Oil Co. #119 Coates, A. B. "C"  
 comp 3-14-59 thru (McKee) Perfs 7326-75' & (Ellen-  
 burger) OH 7847-7940', OTD 7940'; OWWO by Getty  
 Oil Co. & Re-Cmp 2-10-69 thru (McKee) Perfs  
 7326-75' & (Ellenburger) Perfs 7736-70', OTD  
 7940'; OWWO & Re-Cmp 9-24-71 as #19 Coates,  
 A. B. "C" thru (Blinebry) Perfs 5200-5542',  
 OPB 6790')  
 10-25-71 TD 7940'; PBD 6790'; COMPLETE  
 Perf @ 5776', 5786', 5798', 5805', 5810',  
 5818', 5833', 5840', 5866', 5873', 5885',  
 5892', 5910', 5925', 5930', 5940' w/1 SPI  
 Acid (5776-5940') 5000 gals  
 10-28-71 COMPLETION REPORTED

MN 11741

COUNTY LEA FIELD Justis STATE NM OWWO

OPR GETTY OIL CO. MAP

119 Coates, A. B. "C"

Sec 24, T-25-S, R-37-E CO-ORD

990' FSL, 990' FEL of Sec.

|                                                                                                                                                     | CLASS            |       | EL        |       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------|-----------|-------|
|                                                                                                                                                     | FORMATION        | DATUM | FORMATION | DATUM |
| Re-Cmp 2-10-69                                                                                                                                      |                  |       |           |       |
| CSG & SX - TUBING                                                                                                                                   |                  |       |           |       |
| 13 3/8" at 540' w/550 sx                                                                                                                            |                  |       |           |       |
| 9 5/8" at 3325' w/900 sx                                                                                                                            |                  |       |           |       |
| 7" at 7847' w/1000                                                                                                                                  |                  |       |           |       |
| LOGS EL GR RA IND HC A                                                                                                                              |                  |       |           |       |
|                                                                                                                                                     | TD 7940'         |       |           |       |
| (McKee) Perf 7326-75' NO CHANGE                                                                                                                     |                  |       |           |       |
| IP (Ellenburger) Perf 7736-70' F 270 BOPD. Pot based on<br>22½ hr test thru 20/64" chk, TP 310#                                                     |                  |       |           |       |
| Distribution limited and publication prohibited by subscribers' agreement.<br>Reproduction rights reserved by Williams & Lee Scouting Service, Inc. |                  |       |           |       |
| CONT.                                                                                                                                               | PROP DEPTH 7770' |       | TYPE WO   |       |
| DATE                                                                                                                                                |                  |       |           |       |

F.R.C. 3-21-69  
 PD 7770' WO (Ellenburger)  
 (Orig. Tidewater Oil Co. #119 Coates, A.  
 B. "C", comp. 3-14-59 Dual thru McKee Perfs  
 7326-75' & from Ellenburger OH 7847-7940',  
 OTD 7940')

3-19-69 TD 7940'; COMPLETE  
 Sqzd 7847-7940' w/10 sx  
 Perf 7736-70' w/2 SPF  
 Acid (7736-70') w/1000 gals

3-21-69 COMPLETION REPORTED