

© Copyrighted. Reproduction Prohibited

COUNTY LEA FIELD JUSCIS STATE NM

UNION TEXAS PET. CORP. API NA 11220

LEASE Garison "A" SERIAL 1000

Sec 15, T-25-S, R-37-E MAP

2310' PER, 2310' PER of Sec CO-ORD

4 mi SE/Jal CLASS D8-20

Re-Cmp 9-2-74 ELEV 3065' L & S

FORMATION	DATUM	FORMATION	DATUM
15 3/8" at 573' w/450 SX			
15 7/8" at 3273' w/1850 SX			
15 3/8" at 6953' w/500 SX			

TO 6954' (15 3/8") PER 2310'

Blainebry; Perfs 5836-5906' P.D. 6200' & 6200' & 6200'

at 15-36. GOR 33-6; GIAL 27.1

OPRS ELEV 3065' GL PG 12 TYPE W/O

F.R.C. 11-11-74
 (Blainebry)
 (Orig. Anderson-Prichard Oil Corp., Omp
 5-14-59 dual thru (Drinkard) Perfs 5848-5906'
 & (Fusselman) Perfs 6896-6950'. OJD 6954';
 OWWO & Re-Cmp 2-3-66 by Union Texas Pet. Corp.
 dual thru (Eubbs-Drinkard) Perfs 5732-5942' &
 (Fusselman) Perfs 6820-26', OJD 6954'. OPR
 6951'; OWWO & Re-Cmp 9-30-70 thru (Fusselman)
 Perfs 6798-6808', OJD 6954', OJB 6880';
 11-11-74 ID 6954'; PJD 6200'; COMPLETE
 Perf (Abo) 6388-91', 6422-26', 6526-28', 6568-71',
 6612-17' w/1 SPF

SEA

Justis

NM

UNION TEXAS PET. CORP.

1 Carlson "A"

Page #2

Sec 25, T25S, R37E

11-11-74

Continued

Acid (6388-6617') 5000 gals

Non-Commercial (6388-6617')

FB to 6200'

Perf (Blindbry) 5236-41', 5343-36', 5265-60',

5271-73', 5295-98', 5317-19', 5321-23',

5342-45', 5381-85', 5393-95' w/L SPB

Acid (5236-5395') 2000 gal-

Frac (5236-5395') 80,000 gals w/L 120,000

sd

COMPLETION RESTORED

COUNTY LEA FIELD Justis OWWO
 OPR UNION TEXAS PET. CORP. STATE NM MN 11756
 1 Carlson "A" MAP
 Sec 25, T-25-S, R-37-E
 2310' FSL, 2310' FEL of Sec CO-ORD

Re-Cmp 9-30-70		CLASS OWWO EL 30672	
FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING 13 3/8" at 573' w/450 sx 9 5/8" at 3273' w/1850 sx 7" at 6953' w/500 sx.			
LOGS EL GR RA IND HC A			

TD 6954'; PBD 6860'
 (Fusselman) Perfs 6798-6808' NO NEW POTENTIAL.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 6808' TYPE WO

F.R.C. 4-22-71; Opr's Elev. 3065' CL
 PD 6808' WO (Fusselman)
 (Orig. Anderson-Prichard Oil Corp., comp 5-14-59
 thru (Drinkard) Perfs 5848-5906' & (Fusselman)
 Perfs 6896-6950', OTD 6954'; OWWO & Re-Cmp
 by Union Texas Pet. Corp. on 2-3-66 thru (Tubb-
 Drinkard) Perfs 5732-5942' & (Fusselman)
 Perfs 6820-26', OPB 6951')
 4-19-71 TD 6954'; PBD 6860'; COMPLETE
 Sqzd (6820-26') w/300 sx
 Sqzd (5732-5942') w/425 sx
 Drilled Out to 6860'
 Perf 6798-6808' w/2 SPF
 Acid (6798-6808') 250 gals
 4-22-71 Ppd 79 BO + 160 BW in 24 hrs (6798-6808')
 COMPLETION REPORTED