

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Reswell, New Mexico

January 16, 1962

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

.....Well No. ....in.....  
 (Company or Operator) ..... (Unit)  
**The Atlantic Refining Company**, T. **State of** **Lease** **3** **B** Pool  
 (40-acre Subdivision) 1/4 of Sec. 25-8 37-E **Justis (Ellenburger & McKee)**  
 NW NE County. **Lee**

FULL DETAILS OF PROPOSED PLAN OF WORK  
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Confirming telephone conversation with Mr. Hagbrecht on January 16, 1962. This well is presently dually completed in the Montoya and Ellenburger zones. The Ellenburger zone is now pumping 100% water. We propose to plug the Ellenburger zone and recompleate in the McKee zone as follows: 1 - Place a DR plug in Baker 415-D packer set at 8111'. 2 - Dump approximately 30' of cement on top of DR plug and packer to plug Ellenburger perfs 8143-8205'. 3 - Perforate and block squeeze cement McKee zone at 7751' and 7657'. 4 - Perforate McKee zone 7659-71', 7701-05' and 7717-49' (GR) with 2 JSFP. 5 - Swab and flow test this zone. If productivity is low, sand-oil-fracture with 25,500 gals lease crude and 52,000# of 20/40 sand. 6 - Set 415-D packer at 7575' and run dual completion assembly for Montoya and McKee zones. No changes will be made in the Montoya producing zone. This information supplements plans proposed on Form C-102 submitted on June 26, 1961.

Approved....., 19.....  
Except as follows:Approved  
OIL CONSERVATION COMMISSION

By.....

Title.....

Company or Operator  
By **The Atlantic Refining Company**Position.....  
Send Communications regarding well to:  
**District Drilling Supervisor**

Name.....

Address **The Atlantic Refining Company**

P. O. Box 1978, Roswell, New Mexico