

COUNTY **LEA** FIELD **Justis**

ALL **NM**

OPR **SANTA FE ENERGY CO.**

API **MN 11798**

NO **6** LEASE **Carlson B-26**

MAP

Sec 26, T25S, R37E
990' FSL, 330' FEL of Sec
3 mi E/Jal

COORD

10-4-16 NM

REMPD 5-14-79 REMAP 6-8-79

CSC

11 3/4" at 843' w/700 sx
7" at 5998' w/750 sx

WELL CLASS	INTE	DX	IN	DO	FLV	FLS
FORMATION	DATUM	FORMATION	DATUM			
TD 6000' (DRKD)		PBD 5600'				

IP (Blinebry) Perfs 5056-5560' P 41 BOPD + 28 BW. Pot based on
24 hr test. GOR (NR); gty (NR)

CONTR OPRSELEV 3039' GL PD 5608' WO

F.R.C. 10-27-79 OWWO
(Orig. Westates Petroleum Corp., comp.
8-7-60 dual thru (Blinebry) Perfs 5056-84'
& thru (Tubb) Perfs 5810-20', OTD 6000', OPB
5835'; OWWO & Re-Comp. dual thru (Blinebry)
Perfs 5056-5387' & thru (Tubb) Perfs 5810-20',
OTD 6000', OPB 5835')
10-22-79 TD 6000'; PBD 5600'; Complete
PB to 5600'
Perf (Blinebry) 5113-99', 5230-5386', 5420-48',
5510-60' (overall)
Acid (5113-5560') 15,500 gals (15%)
10-27-79 COMPLETION ISSUED

10-4-16 NM
IC 30-025-70404-79

COUNTY LEA FIELD Justis STATE NM OWWO
 OPR WESTATES PETROLEUM CORP. MAP
6 Carlson B-26
Sec. 26, T-25-S, R-37-E
990' FSL, 330' FEL of Sec. CO-ORD

Re-Cmp 3-7-68	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
11 3/4" 843' 700				
7" 5998' 750				
LOGS EL GR RA IND HC A				
	TD 6000', PBD 5835'			

Blinebry Perfs 5056-5387' - NO NEW POTENTIAL

Tubb Perfs 5810-20' - NO NEW POTENTIAL

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH TYPE WO

3-25-68 F.R.C. 3-28-68; OWWO
 (Orig. Cmp 8-7-60 thru Blinebry Perfs 5056-84'
 & Tubb Perfs 5810-20', OTD 6000', OPB 5835')
 TD 6000', PBD 5835', COMPLETE
 Perf (Blinebry) @ 5251', 5272', 5282',
 5310', 5319', 5329', 5344', 5349', 5354',
 5387' w/l SPI
 Acid (5251-5387') 6500 gals.
 Acid (5810-20') 13,500 gals.
 (Put well back on pump)