


N

AREA 640 ACRES  
LOCATE WELL CORRECTLYNEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico67-1-1112  
NEW MEXICO  
OIL CONSERVATION  
COMMISSION  
PLUGGETTE  
HUBBS OFFICE

## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

**R. Olson** **Box 2, Jal, New Mexico**  
Company or Operator Address  
**Rapallo** Well No. **1** in **SW NW** of Sec. **28**, T. **25S**  
Lease  
R. **37E**, N. M. P. M., **Cooper-Jal** Field, **Lea** County.  
Well is **1900** feet south of the North line and **660** feet ~~East~~ **East** of the ~~East~~ **East** line of **Section 28**  
If State land the oil and gas lease is No. Assignment No.  
If patented land the owner is Address  
If Government land the permittee is Address  
The Lessee is **R. Olson** Address **Oklahoma City, Oklahoma**  
Drilling commenced **April 8, 1950** 19 Drilling was completed **April 20, 1950** 19  
Name of drilling contractor **Olsen-Blount Drilling Corp.** Address **Oklahoma City, Okla.**  
Elevation above sea level at top of casing feet.  
The information given is to be kept confidential until **Now** 19.

## OIL SANDS OR ZONES

No. 1, from **None** to No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **None** to feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<b>9-5/8</b>	<b>34</b>	<b>6</b>	<b>Mat'l</b>	<b>293</b>	<b>Howco</b>				<b>Surface</b>
<b>7</b>	<b>24</b>	<b>10</b>	<b>"</b>	<b>2263</b>	<b>"</b>				<b>Oil String</b>

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
<b>12 1/2</b>	<b>9-5/8</b>	<b>293</b>	<b>200</b>	<b>Howco</b>		
<b>8-3/4</b>	<b>7</b>	<b>2263</b>	<b>500</b>	<b>#</b>		

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
Adapters — Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment  
.

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from **0** feet to **2453 TD** feet, and from feet to feet  
Cable tools were used from feet to feet, and from feet to feet

## PRODUCTION

Put to producing **April 20, 1950**, 19  
The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be.  
If gas well, cu. ft. per 24 hours **6,000,000** Gallons gasoline per 1,000 cu. ft. of gas  
Rock pressure, lbs. per sq. in. **125 on tubing, 860 on Casing**

## EMPLOYEES

**Arthur Stine** Driller **E. Locke** Driller  
**Ladell Ellis** Driller Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **25**  
day of **April**, 19 **50**

**B. S. Chockley**  
Notary Public

My Commission expires **October 21, 1953**

**Jal, New Mexico** **Box 2** **April 25, 1950**

Name **W. H. Leach**Position **Geologist**Representing **R. Olson** Company or OperatorAddress **Box 2, Jal, New Mexico**

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	152	152	Sand & Red Bed
152	308	156	Red Bed
308	538	230	Red Bed - Shells
538	745	207	Red Bed
745	910	165	Red Rock & Red Bed
910	1320	410	Red Bed & Anhy
1320	1442	142	Salt
1442	1922	530	Salt & Anhy
1922	1934	12	Anhy
1934	2162	228	Salt & Anhy
2162	2256	94	Anhy
2256	2262	6	Anhy & Dolomite
2262	2317	55	Brown Lime (Sandy)
2317	2443	146	Lime TD.