

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

HOLDS OFFICE O. C. C.  
NEW MEXICO OIL CONSERVATION COMMISSION  
JUN 10 1 34 AM '69

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

### SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- <input type="checkbox"/>		7. Unit Agreement Name	
2. Name of Operator <b>Phillips Petroleum Company</b>		8. Farm or Lease Name <b>Copper</b>	
3. Address of Operator <b>Room B-2, Phillips Building, Odessa, Texas 79760</b>		9. Well No. <b>1</b>	
4. Location of Well UNIT LETTER <b>J</b> , <b>1980</b> FEET FROM THE <b>south</b> LINE AND <b>1981.5</b> FEET FROM THE <b>east</b> LINE, SECTION <b>28</b> TOWNSHIP <b>25-S</b> RANGE <b>37-E</b> NMPM.		10. Field and Pool, or Wildcat <b>Crosby (Devonian)</b>	
15. Elevation (Show whether DF, RT, GR, etc.) <b>3021' DF</b>		12. County <b>Lea</b>	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Spot 50 sx cmt. over perf. 8376-92'.
2. Fill hole with mud laden fluid.
3. Cut and pull 5-1/2" OD csg. @ 4000' approx.
4. Spot 25 sx from 50' inside; cut off 5-1/2" to 50' above cut.
5. Spot 25 sx across base of 8-5/8" OD csg.
6. Spot 10 sx at surface and install 4" x 4' marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SIGNED	<b>W. J. Mueller</b>	TITLE	<b>Associate Reservoir Engineer</b>
		DATE	<b>June 9, 1969</b>
APPROVED BY	<b>[Signature]</b>	TITLE	
CONDITIONS OF APPROVAL, IF ANY:			