

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office New Mexico  
Lease No. 06470  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 7, 19 51

Well No. 2 is located 1980 ft. from N line and 660 ft. from W line of sec. 31

SW/4 Section 31 T-25-S R-27-E New Mexico Principal  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Monument - Jal Lee New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 2982.2 ft.  
2975.9' G.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill with rotary tools to top of Seven Rivers zone or about 5100 feet:

Casing Program -

Surface - 500' 9-5/8", 36#, 8rd thrd, J-55, Smls, cemented with sufficient cement to circulate to surface.

Oil String - 7", 23#, 8rd thrd, J-55, Smls, cemented with sufficient cement to adequately protect salt zone; run temperature to determine top of cement. 7" set approximately 3075'. survey

Hole below 7" casing will be drilled with cable tools and will produce from Seven Rivers zone. The 7" casing will be tested by bailing hole dry and allowing to stand 4 hours for water shutoff test. The 9-5/8" casing will be tested with 500# for 30 minutes.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gustave Ring

Address 214 Capitol Building

Midland

By C. C. McFarland

Texas

Title Superintendent



RALPH LOWE

GUSTAVE RING

STANOLIND

2

Elev. 2975.9' Gr.

1

Elev. 2979.5' Gr.

3

Elev. 2972.7' Gr.

NO. 22

Federal

R - 37 - E

EL PASO NAT. GAS

I, Max Schumann, Jr., Registered Professional Engineer and Licensed State Land Surveyor, hereby certify that this survey was made by me on the ground, and that this plat is a correct representation thereof.

This 23 day of Nov. 1951

*Max A. Schumann, Jr.*

Max A. Schumann, Jr.  
Reg. Prof. Engr. and Licensed State Land Surveyor

PAT H. STANFORD  
Engineers-Surveyors  
Box 952 Phone 2-1792  
Midland, Texas

SURVEY PLAT

GUSTAVE RING

Well No. 2

Federal Lease

SW/4 Section 31, R-37-E, T-25-S

LEA COUNTY, NEW MEXICO

Scale : 1" = 400'

JOB NO.  
1637

SKELLY

36

31

T - 25 - S

T - 26 - S

