


N


 AREA 640 ACRES  
 LOCATE WELL CORRECTLY

John M. Kelly

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED

APR 21 1952

HOBBSS-OFFICE

## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM O-110 WILL NOT BE APPROVED UNTIL FORM O-105 IS PROPERLY FILLED OUT.

Shahan Company or Operator  
 Well No. 2 in SENE of Sec. 33, T. 25S  
 Lease  
 R. 37E, N. M. P. M., Langlie Mattix Field, Lea County.  
 Well is 1650 feet south of the North line and 330 feet west of the East line of Section 33  
 If State land the oil and gas lease is No. Assignment No.  
 If patented land the owner is B. F. Harrison, Address.  
 If Government land the permittee is, Address.  
 The Lessee is Gulf Oil Corporation, Address.  
 Drilling commenced 3/20 1952 Drilling was completed 4/9 1952  
 Name of drilling contractor Baker & Taylor, Address Amarillo, Texas  
 Elevation above sea level at top of casing 3285 feet.  
 The information given is to be kept confidential until No 19.

## OIL SANDS OR ZONES

No. 1, from 3130 to 3290 No. 4, from to  
 No. 2, from to No. 5, from to  
 No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.  
 No. 2, from to feet.  
 No. 3, from to feet.  
 No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	OUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
9 5/8	36	8	seam	316	Texas				
7	20	8	"	3091	Larkin				

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
12 3/4	9 5/8	316	200	Halliburton		
8 3/4	7	3091	400	Halliburton		

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
 Adapters—Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	5"	Dupont	400	4/8/52	3297	3292

Results of shooting or chemical treatment I. P. 35 BOPD

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from 0 feet to 3297 feet, and from feet to feet  
 Cable tools were used from feet to feet, and from feet to feet

## PRODUCTION

Put to producing 4/10/52, 19  
 The production of the first 24 hours was 35 barrels of fluid of which 100% was oil;  
 emulsion; % water; and % sediment. Gravity, Be  
 If gas well, cu. ft. per 24 hours 250 MCF Gallons gasoline per 1,000 cu. ft. of gas  
 Rock pressure, lbs. per sq. in. 300

## EMPLOYEES

, Driller, Driller  
 , Driller, Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this

day of April, 1952

Notary Public

My Commission expires

Roswell, New Mexico 4/20/52

Name John M. Kelly

Position Operator

Representing John M. Kelly

Company or Operator

Address Box 5671, Roswell, New Mexico

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	2400		Red Beds & Anhydrite
2400	2565	165	Brown Lime
2565	2850	285	Yates Sand
2850	3110	160	Lime
3100	3297	197	Sand and Lime
			Top Yates 2480