

RECEIVED

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
Sun Exploration & Production Co.
3. ADDRESS OF OPERATOR
P. O. Box 1861, Midland, TX 79702
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 330' FSL & 2310' FEL
AT TOP PROD. INTERVAL: 0H 3050 - 3214'
AT TOTAL DEPTH: 3214' TD
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☐
☐
☐
☐
☐
☐
☐
☒

5. LEASE
LC-054667
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
R. O. Gregory
9. WELL NO.
1
10. FIELD OR WILDCAT NAME
Langlie - Mattix
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Unit Ltr. 0, Sec. 33, T-25-S, R-37-E
12. COUNTY OR PARISH
Lea
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
2992' DF

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

R. O. Gregory #1
5-29-84

MIRUPU Gray Well Service

5-30-84

POH w/rods laying down. Instal BOP POH w/tbg laying down. Pick-up 74jts. 2350' RIH. POH w/tbg standing. Dig up well head below surface head. SION 5-31-84

RU Kuykendall Wire Line Service. Run CIBP set at 2994. RIH w/bailer & 3 sx class C cmt. Dump 20' plug on top of CIBP. RIH w/4 way sqs tool. Perf at 2400'. 4 shots hole size .25. RIH w/pkr & tbg set pkr at 2360'. RU HOWCO couldn't pump into formation. POH w/tbg & pkr. RIH w/tbg open to 2415'. Pump 15 sx. Plug 2415' to 2268'. POH w/tbg. RU Kuykendall. Perf at 965'. 4 shots hole size .25. RIH w/pkr & tbg. (Continued on page 2)

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Shannon J. Shaw TITLE Sr. Acctng. Asst. DATE 6-14-84

(This space for Federal or State office use)

APPROVED BY Shannon J. Shaw TITLE PETROLEUM ENGINEER DATE 3 30 90

CONDITIONS OF APPROVAL, IF ANY:

Approved on to plug _____ of the well bore.
Liability under this report and any
surface participation is not protected.

*See Instructions on Reverse Side

1984
Dated June 14, 1984

R. O. Gregory # 1-Unit Ltr. 0, Sec.33, T-25-S, R-37-E
Lea Cty., New Mexico

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS : Continued from page 1.

Set a 900' tested csg to 800#. Held OK. POH w/tbg & pkr. RIH w/tbg.
Open end to 987'. RU HOWCO Pump 15 sx. Plug 987' to 840'. POH w/tbg.
Laying down. Tie onto tbg. Head, broke circ to surface, circ. 35 sx to
pit. RPU down. Cut well head off. Welded dry hole marker on.

Witness by R. G. Dillon - BLM

R.O. GREGORY at

5-29-84

MIROPU GRAY WELL SERVICE

5-30-84

POH W/RODS LAYING DOWN. INSTALL BOP POH W/TBG LAYING
DOWN. PICK-UP 74 JTS. 2350' RIH. POH W/TBG STANDING.
DIG UP WELL DEAD BELOW SURFACE HEAD. SION

5-31-84

RU. KUYKENDALL WIRE LINE SERVICE RUN CIBP SET AT 291
RIH W/BAILER + 3 SX CLASS C CEMENT DUMP 20' PLUG ON
TOP OF CIBP. RIH W/4 WAY SQZ TOOL PERF AT 1400'
4 SHOTS HOLE SIZE .25 RIH W/PKR + TBG SET PKR. AT
2360' RU. HOWCO COULDN'T PUMP INTO FORMATION POH
W/TBG + PKR. RIH W/TBG OPEN TO 2415' PUMP 15 SX
PLUG 2415' TO 2268' POH W/TBG. RU. KUYKENDALL
PERF. AT 965' 4 SHOTS HOLE SIZE .25 RIH W/PKR + TBG.
SET A 900' TESTED CSG. TO 800' HELD OK. POH W/TBG.
PKR. RIH W/TBG. OPEN END TO 987' RU HOWCO PUMP
15 SX PLUG 987' TO 840' POH W/TBG. LAYING DOWN.
TIE ONTO TBG HEAD BROKE CIRC. TO SURFACE CIRC
35 SX TO PIT. RPU DOWN. CUT WELL HEAD OFF
WELDED DRY HOLE MARKER ON.

~~1085 UNIT~~

Witnessed by R.G. Dillon - BLM.

~~881 WATSON-PKR.~~

~~2617 HOWCO~~

~~2804 KUYKENDALL~~

~~750 X.L.~~

~~450 GANG.~~

~~475 ABC.~~

~~200 ELLIS WELDING.~~

~~10262~~

Copy to
Doyle Hentman
P.O. Box 10426
Midland, Tx 79702

RECEIVED

APR 2 1990

MOBBS OFFICE