

Submit 3 Copies To Appropriate District

Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 South First, Artesia, NM 88210

District III

1000 Rio Blanco Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

30-025-12237

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B-9519

7. Lease Name or Unit Agreement Name:

West Dollarhide
Drinkard Unit

8. Well No.

26

9. Pool name or Wildcat

Dollarhide Tubb/Drinkard

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other ☐ Injector

2. Name of Operator

Texaco Exploration & Production, Inc.

3. Address of Operator

P. O. Box 3109, Midland, TX 79702

4. Well Location

Unit Letter K : 2080 feet from the South line and 1980 feet from the West line

Section 29

Township 24S

Range 38E

NMPM Lea

County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Set 5 1/2" CIBP @ 6510' Spot 25 Sx plug 6510'-6310' (Tubb-Drinkard) WOC Tag
2. Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL
3. Spot 50 Sx plug 4100'=3600' (Csg Bowl, Queen)
4. Spot 65 Sx plug 3200'-2600' (8 5/8" Shoe, Yates, B-Salt) WOC Tag
5. Spot 25 Sx plug 1400'-1200' (T-Salt) WOC Tag
6. 10 Sx Surface, Install dry hole marker.

THE COMMISSION MUST BE NOTIFIED 24
HOURS PRIOR TO THE BEGINNING OF
PLUGGING OPERATIONS FOR THE C-103
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

James T. Corbett

TITLE FACILITY ENGINEER

DATE 9/24/01

Type or print name

JAMES T. CORBITT

Telephone No. 915-688-4438

(This space for State use)

APPROVED BY

TITLE

DATE

Conditions of approval, if any:

INTERNAL USE ONLY


SEP 2 2001

me

(3 STRING CSNG)

OPERATOR TEXACO Exploration & Production
LEASENAME WEST DOLLAR HIDE DRINKARD UNIT

SECT 29 TWN 24S WELL # 26
FROM 2080 N(S)L 1980 RNG 38 E
TD: 6750 FORMATION @ TD Tube
PBSD: 6730 FORMATION @ PBSD Drinkard



TD 6750

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	85 1/2	3150	SUEF	CIRC	
INTMED 1					
INTMED 2					
PROD	5 1/2	6740	4190	CALC	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	6720 - 6610	
PROD					

*** REQUIRED PLUGS DISTRICT I**

RUSTLER (ANHYD)	
YATES	
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSEY CANYON	
BONE SPRING	
GLORIETA	
BLINEBRY	
TUBB	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVONIAN	

[illegible]

RECEIVED

RECEIVED

RECEIVED

RECEIVED

RECEIVED

RECEIVED

RECEIVED

RECEIVED
FEB 20 1966
CCC