

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

## SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <b>Water Injection Well</b>		7. Unit Agreement Name <b>West Dollarhide Queen Sand Unit</b>
2. Name of Operator <b>Skelly Oil Company</b>		8. Farm or Lease Name <b>West Dollarhide Queen Sand Unit</b>
3. Address of Operator <b>P. O. Box 1351, Midland, Texas 79701</b>		9. Well No. <b>11</b>
4. Location of Well UNIT LETTER <b>E</b> <b>990</b> FEET FROM THE <b>West</b> LINE AND <b>2310</b> FEET FROM THE <b>North</b> LINE, SECTION <b>30</b> TOWNSHIP <b>24S</b> RANGE <b>38E</b> NMPM.		10. Field and Pool, or Wildcat <b>Dollarhide Queen</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>3126' GR</b>		12. County <b>Lea</b>

### Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <b>Acidize</b> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

The following work was done in an attempt to increase injectivity.

- 1) Acidized 5-1/2" OD casing perforations 3686' - 3725' with 1,500 gallons 15% Homogenized acid with 100# Iron Sequestering Agent added. Flushed with water.
- 2) Returned well to injection status injecting water into 5-1/2" OD casing perforations 3686' - 3723' of the Queen formation at a rate of 234 bbls. per day at 1400#.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED (Signed) D. R. Crow TITLE Lead Clerk DATE Nov. 18, 1971

APPROVED BY Orig. Signed by Joe D. Ramey Dist. I, Supv. TITLE  DATE NOV 22 1971

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

NOV 22 1971

OIL CONSERVATION COMM.  
HOBBS, N. M.