	2				
		N	 		
			-		
l			l	1	 <u>!</u>

			110	1177
NEW MEXICO	OIL CONSERVATI	ON C	QMMIS	SION

Santa Fe, New Mexico

į. 44 WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES LOCATE WELL CORRECTLY

H41)	h Lowe				hair		
(00		~,					
Well No. 2	in	¼ of	14, of Sec. 30	, T	<u> </u>	R. 38-5	, NMPM.
Dollarhide R							
Well is 53	feet from	Horth	line and	<u> 310</u>	feet from	×est	line
of Section							
Drilling Commenced							
Name of Drilling Contractor	i.ont	orilling (.				
Address	2, Miclar	d, Texas				*****	
Elevation above sea level at 7	op of Tubing	Head.	16 J.	The inf	ormation given is	to be kept cor	nfidential until
法赢							

OIL SANDS OR ZONES

No. 1, from. 6614 6910	No. 4, fromto
No. 2, from	No. 5, fromto
No. 3, fromto	No. 6, from

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from	tofeet.	
No. 2, from	to	
No. 3, from.	to	
No. 4, from	tofeet.	

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
0 3/4		Hew	:75	Asg			Surface
7 5/6	20	Hor	3240	148			JEIL
5 1/2	14 \$ 15.5	Mem	6910	äeg		9	U II
2 3/2	1 U		6875	it a <u>s</u>	1		

SIZE OF HOLE	SIZE OF Casing	WHERE BET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15	10 374	375	300	Pulap		
9 7/8	7 5/8	3-40	1700	Pum		
5 3/4	54	6910	600	Punp		

-- ---

BECOBD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

* .erforates from 6652-0710, 6632-6648, & 6614-6686 with 4 holes pe ft.

Result of Production Stimulation.....

.....

Depth Cleaned Out.....

.....

CORD OF DRILL-STEM AND SPECIAL TI

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

•	• •	TOC	LS USED		
Rotary tools w	ere used from	feet to	feet, and from	feet to	feet.
Cable tools we	re used from	feet to	feet, and from	feet to	feet.
		PBO	DUCTION		
Put to Produci	ing. June 12		8		
OIL WELL:	The production during the	first 24 hours was	165 barrels of li	iquid of which	% was
	was oil;O	% was emulsion;	36 % water; and		diment. A.P.I.
	Gravity	·····			
GAS WELL:	The production during the	first 24 hours was	M.C.F. plus		barrels of
	liquid Hydrocarbon. Shut	in Pressure	lbs.	•	
Length of Tin	ne Shut in				

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE): Southeastern New Mexico Northwestern New Mexico

Т.	Anhy	1200	Т.	Devonian	Т.	Ojo Alamo
Т.	Salt		Т.	Silurian	Т.	Kirtland-Fruitland
ъ	Salt	2577	T	Mandana	T	m . • .
Т.	Vates	2725	T.	Simpson	T.	Pictured Cliffs
¥X3	7 Rivers	3690	Т.	Montoya Simpson McKee	Т.	Menefee
				Ellenburger		
Т.	Grayburg		Т.	Gr. Wash	Т.	Mancos
Т.	San Andres		Т.	Granite	Т.	Dakota
т.	Glorieta	52 65	Т.		Т.	Morrison
T.	Drinkard	\$ 5690	Т.		Т.	Penn
Т.	Tubbs	6172	T.		Т.	
Т.	Penn		Т.		Т.	
Т.	Miss		Т.		Т.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 1200 2577 2725 3690 5265 5690 6172 6500	1200 2577 2725 3690 5265 5690 6172 6500 6910		Sand & shale Salt & Anhy Anhy & Dolo Sand, Dolo & Anhy Sand & Dolo Sand & Dolo Dolo Sand & Dolo Lime, Dolo, Sand & Shale				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator	Ralph	Lowe
Name Wala	la	1
((Y	
le la	}	

June 13, 1958						
Address. Box	832,	Midland,	Texas	(Date)		
Position or Title		Ag ent				