

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-105
Revised 1-1-89

WELL API NO.	30-025-12271
5. Indicate Type of Lease	STATE ☐ FEE ☒
6. State Oil & Gas Lease No.	

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL ☐ GAS WELL ☐ DRY ☐ OTHER ☐ Water Injection	7. Lease Name or Unit Agreement Name West Dollarhide Queen Sand Unit
b. Type of Completion: NEW WELL ☐ WORK OVER ☐ RE-ENTRY ☒ DEEPEN ☒ PLUG BACK ☐ DIFF RESVR ☐ OTHER ☐	8. Well No. 12
2. Name of Operator Sirgo Operating, Inc.	9. Pool name or Wildcat Dollarhide Queen
3. Address of Operator P.O. Box 3531, Midland, Texas 79702	

4. Well Location Unit Letter <u>L</u> : <u>1650</u> Feet From The <u>South</u> Line and <u>990</u> Feet From The <u>West</u> Line Section <u>30</u> Township <u>24S</u> Range <u>38E</u> NMPM <u>Lea</u> County

10. Date Spudded 7-17-89	11. Date T.D. Reached 7-31-89	12. Date Compl. (Ready to Prod.) 8-23-89	13. Elevations (DF& RKB, RT, GR, etc.)	14. Elev. Casinghead
15. Total Depth 3920'	16. Plug Back T.D.	17. If Multiple Compl. How Many Zones?	18. Intervals Drilled By Rotary Tools ☒ Cable Tools	19. Producing Interval(s), of this completion - Top, Bottom, Name 3659' - 3799' Injecting into the Queen zone.
21. Type Electric and Other Logs Run DSN, CBL			20. Was Directional Survey Made No	
22. Was Well Cored No				

23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
* 9-5/8"	36#	290'	13-3/4"	220 sx.	
* 7"	17# & 20#	3750'	8-3/4"	300 sx.	
4-1/2"	11.6#	3920'	6-1/8"	460 sx. Circ. 125 sx.	
*ALREADY PRESENT IN WELLBORE.					

24. LINER RECORD					25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-3/8"	3510'	3512'
26. Perforation record (interval, size, and number) 3659-64, 74-85, 94-99, 3702-12, 3756-53, 56-59, 94-99					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.		
					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	
					3659-3712	2000 gal 15% HCL-NEFE	
					3756-3799	1200 gal 15% HCL-NEFE	

28. PRODUCTION							
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.)						Test Witnessed By	

30. List Attachments

DSN, CBL

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Bonnie Atwater Printed Name Bonnie Atwater Title Prod. Tech. Date 9-5-89

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates 2608	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen 3652	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

Northwestern New Mexico

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)


From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
			Not Available				

RECEIVED
SEP 8 1989
CCO
HOBBS OFFICE

RECEIVED

SEP 3 1989

HOME OFFICE



GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

Pkr. leakage Test

WDQSA # 12

8/21 1989

BR 2221