

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office New Mexico

Lease No. L.C. 069052

Unit H

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 9, 1952

Well No. 1 is located 2310 ft. from N line and 330 ft. from E line of sec. 31
~~SE~~ NE Sec. 31 24S 38E N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
West Dollarhide (Drinkard) Lea New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is not known

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill to approximately 6500' setting;
 150' -- 16" 65 lb. O.D. with sufficient cement to reach surface;
 3100' - 40.5 & 32.75# 10-3/4" O.D. with sufficient cement to reach surface.
 6400' 23# 7" O.D. cemented with approximately 700 sacks.
 We will allow approximately 24 hours cement setting time on surface casing; 48 hours on the intermediate and 72 hours on the oil string.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Frank O. Elliott and Ora R. Hall, Jr.

Address Box 703

Roswell, New Mexico.

By Frank O. Elliott C.P.M.

Title Operator