

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

(Place)

September 3, 1952

(Date)

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as
Stanolind Oil and Gas Company

(Company or Operator)

State "Y"

(Lease)

Well No. 2

in E

(Unit)

The well is

located 660 feet from the west

line and 1980

feet from the

north

line of Section 32, T 24-S

R. 38E

NMPM.

(GIVE LOCATION FROM SECTION LINE)

West Dollarhide Fusselman

Lea

County

If State Land the Oil and Gas Lease is No. B-9613

If patented land the owner is

Address

We propose to drill well with drilling equipment as follows **Rotary tools to total depth.**

The status of plugging bond is

Drilling Contractor **Davidson Drilling Company, Odessa, Texas**

We intend to complete this well in the **Fusselman**

formation at an approximate depth of **9000'** feet.

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

| Size of Hole | Size of Casing | Weight per Foot | New or Second Hand | Depth | Sacks Cement |
|--------------|----------------|-----------------|--------------------|--------|---|
| 17 1/2" | 13-3/8 | 36# | New | 300' | 375 |
| 12 1/2" | 9-5/8 | 32.3 - 36# | New | 3150'* | 1st: 200 sax neat 2nd: 150 sax neat 600 sax 4% gel plus 600 cu ft perlite |
| 8-3/4" | 7 | 23-26# | New | 9000' | |

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

*Intermediate casing string will be two-stage cemented with staging collar to be set at approximately 1250' in order to isolate the salt section from 1250' to 2525'.

September 4, 1952

Approved
Except as follows:

Sincerely yours,

Stanolind Oil and Gas Company

(Company or Operator)

By

Position **Field Superintendent**

Send Communications regarding well to

Name **Ralph L. Hendrickson**

Address **Box 68**

Hobbs, New Mexico

OIL CONSERVATION COMMISSION

By

Title

1917-1918

1917-1918

1917-1918

1917-1918

1917-1918

1917-1918

1917-1918

1917-1918

1917-1918


1917-1918

WELL LOCATION SURVEY PLAT

OPERATOR STANOLIND OIL & GAS CO.

LEASE STATE Y

WELL NO. 2



SEC. 32 , TWP 24 S., RGE. 38 E., N.M.P.M.

I HEREBY CERTIFY THAT THIS PLAT WAS MADE
FROM NOTES TAKEN IN THE FIELD BY ME AND
THAT THE SAME IS TRUE AND CORRECT TO
BEST OF MY KNOWLEDGE AND BELIEF.

John W. West
JOHN W. WEST, PE & LS NO. 676

AUGUST 28, 1952