

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New MexicoNOTICE OF INTENTION TO DRILL ~~OR RECOMPLETION~~

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

(Place)

March 3, 1954

(Date)

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the (Drilling) ~~(Recompletion)~~ of a well to be known as
Stanolind Oil and Gas Company

(Company or Operator)

State **X**

(Lease)

Well No. **11**in **H**

(Unit)

The well is

located **2310**

feet from the

Northline and **660'**

feet from the

Eastline of Section **32**T. **24-S**R. **38-E**

NMPM.

(GIVE LOCATION FROM SECTION LINE)

Dollarhide-DrinkardPool, **Lee**

County

County

If State Land the Oil and Gas Lease is No. **B-9613**

If patented land the owner is

Address

We propose to drill well with drilling equipment as follows: **Rotary tools to total depth.**

The status of plugging bond is **Blanket bond on file with Commission**Drilling Contractor **Simmons Drilling Corp., Box 2322, Tulsa, Okla.**We intend to complete this well in the **Abo**formation at an approximate depth of **6950'** feet.

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
17-1/2"	13-3/8"	36#	New	300	190 8% gel / 100 neat
12-1/4"	8-5/8"	28, 32#	New	3150	*
7-7/8"	5-1/2"	14, 15.5#	New	6950	125 4% gel / 125 cu. ft. perlite

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

Two stage with staging tool set at top of salt (approx. 1209') to isolate salt section.*1st stage - 200 sx. neat cement****2nd stage - 150 sx. neat cement**

Approved....., 19.....
Except as follows:

Sincerely yours,

Stanolind Oil and Gas Company

(Company or Operator)

By **Rueph Hendricks**Position **Field Superintendent**

Send Communications regarding well to

Name **Stanolind Oil and Gas Company**Address **Box 68, Hobbs, N. M.**

OIL CONSERVATION COMMISSION

By **S. J. Stanley**

Title