an de Second

	K		

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

		ACRES
LOCATE	WELL	CORRECTLY

.....

.....

V	ester	Natural	Cas Company		Winberly					
		(Col	mpany or Operator)			(Let	-			
wall 1	No	8	in NE 14 of NW		З, т.	25-5	, R	, NMPM.		
		Blinebry			Le			County.		
347-11 :	-	2310								
of Sec	tion	23		il and Gas Lease No	P	atented	*****			
Drillir	og Comm	enced	4-23		ng was Complete					
Name	of Drilli	ng Contractor	Leatherwood 1	Drilling Comp	iny			••••		
		-	Draver N,	Kermit, Tea		*****				
Elevat	tion abov	e sea level at 7	op of Tubing Head	99.8 G.L.	The i	nformation giv	en is to be kept co	nfidential until		

OIL SANDS OR ZONES

No.	1,	from	.to	No.	4,	fromto
No.	2,	from	.to	No.	5,	fromto
No.	3,	from	to	No.	6,	fromto

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.							
No. 1, from	to	feet.					
No. 2, from							
No. 3, from	to	feet.					
No. 4, from	to	feet.					

			C	ASING RECO	RD		
SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	24#	Hew	905	Tleat	None	None	Surface
<u>5 1/2</u>	174 I-Li		1844	Float		Shown below	Production
5 1/2	234	Hew	2392		None		
5 1/2	15.5#	New	1292				<u> </u>

* 5352, 5384, 5388, 5494, 5414, 5419, 5432, 5436, 5447, 5451 w/l JSFT. MUDDING AND CEMENTING RECORD

ASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD Gravity	AMOUNT OF MUD USED
5/8"	920	500	Pump & Plug	*	-
	the second s	950	Pump & Plug	•	•
		ASING SET 5/8" 920	ASING SET OF CEMENT 5/8" 929 509	ASING SET OF CEMENT USED 5/8" 920 500 Pump & Plug	ASING SET OF CEMENT USED GRAVITI 5/8" 920 500 Pump & Plug -

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforated 5352, 5384, 5388, 5484, 5414, 5419, 5432, 5436, 5447, 5451 w/1 JSPF.

Fraced w/400 gals acid, 15,000# sand, 15,000 gals oil, and 11.5 tens CO2 at 17.1 BPM and 3500 psig.

Result of Production Stimulation. Flowed 439 bbls oil and no water in 24 hrs thru 16/64" choka.

.....

.....

RECORD OF DRILL-STEN AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

					TOOLS	USED			
Rotary	r tools w	vere used	from	face		feet	and from		
Cable	tools we	re used :	rom	feet to		feet.	and from	••••••••	feet tofe
									fer tofe
_	_		E 0.0		PRODUC	UTION			
					-				
OIL V	VELL:	The pr	oduction duri	ng the first 24 hours w	4 80		ha	rels of 1	iquid of which
		was oil	. 0	01					iquid of which
			,	was emuis	or;	••••••••	% water	; and	was sediment. A.P
				at 60 dag.					
GAS W	VELL:	The pr	duction durin	ng the first 24 hours w	as		.M.C.F. pl		barrels
				Shut in Pressure					Darrels
. .									
Length	of Tim	he Shut i	n						
PL	EASE	INDICA	TE BELOW	FORMATION TOP	8 (IN CONF	ORMAN		I GTOC	RAPHICAL SECTION OF STATE):
			Sout	heastern New Mexico				I GEOG	
. An	hy				onian			m	Northwestern New Mexico
Sal	t		997		rian				Ojo Alamo
Sal	t				ntoya				Kirtland-Fruitland
	es				pson				
7 R	livers		42		Kee				Pictured Cliffs
	een				nburger				Point Lookout
		3.			Wash				Mancos
	Andres		145		nite				Dakota
	rieta		73						Morrison
		.F. 51		Т	•••••••••••••••••••••••••••••••••••••••	•••••	· • • • • • • • • • • • • • • • • • • •	Т.	Penn
			••••••••••••••••					T .	
			•••••••••••••••••					Т.	
Miss	5	••••••			· • • • • • • • • • • • • • • • • • • •				
	<u> </u>			FO	RMATION	RECO	RD		
From	To	Thick		Formation		From	ŀ	Thickness	

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
920 997 2210 3061 3745 4773 5160	920 997 2210 3061 3745 4773 5160 5525	920 57 1213 851 684 1928 387 365	Red Beds Anhydrite Salt & Anhydrite Anhy, sh, sd, dolo Sd, dolo, sh Dolo, sh Sd, dolo Bolo				
					*	Para 200 1940 - 197 1940 - 197 1940 - 1980	
					·, ·		

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

2	May 23, 1963
Company or Operator WESTERN NATURAL CAS COMPANY Name accel Body Cole	(Date) Address
fle can and	Posistant TitleOffice.Manager

Western Natural Gas Company

823 MIDLAND TOWER BLDG.

Midland, Texas

May 23, 1963

New Mexico Oil Conservation Commission P.O. Box 2045 Hobbs, New Mexico

Gentlemen:

Below is a notarized tabulated list of all deviation surveys conducted on Western Natural Gas Company's Wimberly No. 8 well in Section 23, T-25-8, R-37-E, Justis Blinebry Pool, Les County, New Mexico:

Depth	Degree	Depth	Degree	Depth	Degree	
158	1/2	2184	3	4456	4 1/4	
351	1/2	2244	2 3/4	4514	4 i/2	
480	3/4	2305	2 3/4	4578	5	
625	1/2	2398	2 3/4	4641	4 3/4	
774	1/4	2554	2 1/2	4725	5 1/2	
900	1/2	2693	3	4772	5	
1085	1	2768	2 3/4	4835	4 3/4	
1269	1	2860	2 1/2	4896	4 1/2	
1454	1 1/4	3013	2 3/4	4956	4 1/4	
1666	1 3/4	3182	2 3/4	5018	4	
1788	2 1/2	3325	2 3/4	5110	3 1/2	
1819	2 3/4	3441	1 3/4	5195	3 1/4	
1879	2 3/4	3599	2	5256	2 3/4	
1971	2 3/4	3 932	2	5525	2 1/2	
2062	3	4300	4 1/2			
2122	2 3/4	4395	4 1/2			

AFFIDAVIT

STATE OF TEXAS) COUNTY OF MIDLAND)

BEFORE ME, the undersigned authority, on this day appeared <u>Roy G. Jeter</u> who after being by me duly sworn on oath states that he represents the reporting company in the capacity of <u>Assistant Division Superintendent</u> and that asid report is a correct statement of the facts herein recited, and that affiant is duly authorized to make this affidavit.

Signature

1:1 8 27

SWORN TO and subscribed before me this 23rd day of May, 1963.

CLARA JEAN HWATT - NOTARY PUBLIC

IN AND FOR MIDLAND COUNTY, TEXAS MY COMMISSION EXPIRES JUNE E. 1963

Restern Ratural Bas Company

ASS LULLERS TOWER B.DO

Mittand Server Note , et als

> -lev Marico III (199388788108 Comilario) 1.0. Ilox 2063 Montos Lev Menico

> > 1.419681132655

Holow is acterian laborated the stole is a stole of a construct sates. But the sates and states and the sates and states and states

octore.	il i gali		<u>្រំដីថ្ម</u> ទ្ធា៍	·····································	
	÷ ڈ بانی	5 *	14111	$(-\sum_{i=1}^{n}$	1) (j. 1)
à si a	1254	$\pm \lambda \xi$ Ξ	4. 1 . 1	1974 - 10 - 10 1. 4. 9 1 - 10	100 - 100 100 - 100 100 - 100
6	8514	\$\$\$.	Lu Co	-\₽.	33.4
28 - C	1. Sate	4 3 S	公司主任		63.0
		Siga à	s-ie2		·
-	6 () s ÷	i.	L R ØS		(•GR
- .		the second second	60VL		- 80)
E. a. s	6884		2860	2	<
	0-344	4 1 6 5	€1 0 €	- 200 - 200 €10 - 400	6Ese
	5618	24 8 3.		$\sim \sqrt{E_{\rm const}}$	けさびょ
an the second se	511ê	$\approx \sqrt{2}$	i Ci	2 V 2	转入了
$\pm 1/6$	d€i⊂	Statu à			21월 21일 - 11일 - 11
state 2	265 C		10 4 1		1.3
and a second sec	3.26.5	- 	你们就是		1781
		- 2 - 0 ♠ 3, 2 - ³ 27	Cale		2:402
			ede -	3 1	. II

STATE ON TEXAR)

NEROR: SE, the acterationed defaction of this day appeared <u>Roy 1. Jates</u> who often being by me duty emoun of cath states that he represents the reportant compary in the capacity of <u>Assistant Division proprintendent</u> and that said report to a correct statement of dut faure hereto revited, and that shift and is only incherized to make this stituent.

VERILLE ALTURAL GAS COMPANY Strategie

self is and anterrated before no close lists on you way, a lists

DURG AN HYATT - NOTARY PUBLIC I AN HYATT - NOTARY PUBLIC I AN GOMMISSION EXPIRES JUNE IL SPOS