



STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION  
HOBBS DISTRICT OFFICE

GARREY CARRUTHERS  
GOVERNOR

February 27, 1990

POST OFFICE BOX 1980  
HOBBS, NEW MEXICO 88241-1980  
(505) 393-6161

Amoco Production Company  
P. O. Box 3092  
Houston, Texas 77253

SUBJECT: Division Order R-9118  
Special rules for Fowler-Upper Silurian Gas Pool

Gentlemen:

According to the provisions of Division Order R-9118, effective February 19, 1990, permanent special rules have been approved for the Fowler-Upper Silurian Gas Pool, which include the following:

A standard proration unit to be 80 acres, consisting the N/2, S/2, E/2 or the W/2 of a governmental quarter section.

Each well to be located within 150 feet of a quarter/quarter section.

Please submit a new plat (C-102) dedicating a standard 80 acre proration unit to your South Mattix Unit Well No. 15 located in Unit A of Section 22, Township 24 South, Range 37 East.

Very truly yours

OIL CONSERVATION DIVISION

A handwritten signature in cursive script, appearing to read "Jerry Sexton".

Jerry Sexton  
Supervisor, District I

JS:bp

File



STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION  
HOBBS DISTRICT OFFICE

June 16, 1988

GARREY CARRUTHERS  
GOVERNOR

POST OFFICE BOX 1980  
HOBBS, NEW MEXICO 88241-1980  
(505) 393-6161

Amoco Production Company  
P. O. Box 4072  
Odessa, Texas 79762

SUBJECT: Reclassification of Fowler-Upper Silurian Pool


Gentlemen:

According to the provisions of Division Order R-8667, effective June 1, 1988, the Fowler-Upper Silurian Pool is reclassified as the the Fowler-Upper Silurian Gas Pool, with a standard proration unit consisting of 320 acres.

Please submit a new Form-102 dedicating 320 acres to your South Mattix Unit Well No. 15 located in Unit A and the South Mattix Unit Well No. 5 located in Unit H both in Section 22, Township 24 South, Range 37 East.

Very truly yours

OIL CONSERVATION DIVISION

  
Jerry Sexton  
Supervisor, District I

JS:bp

File

*Note - did not do this date as would not  
let them have simultaneous dedication.  
They went to hearing & got 80 ac spec.  
for gas pool.*