

COUNTY	LEA	FIELD	Justis	STATE	N.M.
OPR	SINCLAIR OIL & GAS CO.				MAP
2 Stuart "A" WN					
Sec. 14, T-25-S, R-37-E				CO-ORD	
330' fr N Line & 2310' fr W Line of Sec.					
Spud 8-23-64					
Comp. 10-5-64(D)10-12-64(B)		CLASS		EL. 31412	
:SG & SX - TUBING		FORMATION	DATUM	FORMATION	DATUM
9 5/8"	1004'	464	LOG:		
7"	6250'	1195	SA 3645		
			Glor. 4797		
			Tubb 5815		
			Fullerton		
			5995		
LOGS EL GR RA IND HC A					
TD 6250', PBD 6203'					
IP Blinebry Perfs. 5377-5618', Flwd. 201 BOPD, Pot. Based on 3 hr. test of 67 BO thru 10/64" chk., TP 900#, Gty. 35.4 GOR 660.					
IP Drinkard Perfs. 5958-6079', Flwd. 189 BOPD + 3 BFW, Pot. Based on 24 hr. test, thru 1/4" chk., CP Pkr. TP 350#, Gty. 34.5, JOR 975.					
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.					
CONT. Leatherwood Drlg. Co.		PROP DEPTH		6250' TYPE	
DATE					

F. R. 8-20-64.
 PD 6250' - Clearfork.
 8-24-64 Drlg. 420' sdy sh.
 8-31-64 Drlg. 2860' anhy & lm.
 9-8-64 Drlg. 4483' anhy & lm.
 9-14-64 Drlg. 5489' sdy lm.
 9-21-64 TD 6250', WOC.
 9-28-64 TD 6250', PBD 6203', recovering load.
 Perf. (Drinkard) @ 6098', 6102', 6106', 6113',
 6134', 6136', 6154', 6156', 6168', 6171' w/1 SPI.
 Ac. 1500 gals.
 Frac. 15,000 gals. ref. oil + 10,000# sd.
 Swbd. 168 BLO + 36 BAW + 70 BFW/19 hrs. (-94 BLO).
 10-5-64 TD 6250', PBD 6203', prep dual.
 Swbd. 15 BLO + 33 BNO + 76 BFW/24 hrs.
 Perf. @ 5958', 5960', 6011', 6024', 6051',
 6054', 6071', 6074', 6079' w/1 SPI.

- cont'd -

10-5-64 - cont'd -
Re-Ac. 1500 gals.'
Re-Frac. 15,000 gals. ref. oil + 15,000# sd.
Flwd. 63 BO thru 1/4" chk./8 hrs., TP 350#,
(5958-6171').
10-12-64 TD 6250', PBD 6203', prep to Complete Blinebry.
Drinkard Completed 10-5-64.
Set BP @ 5785'.
Perf. (Blinebry) @ 5377', 5384', 5412',
5467', 5485', 5529', 5589', 5600', 5611',
5618' w/2 SPI.
Ac. 1500 gals.
Frac. 20,000 gals. oil + 26,000# sd.
Rec. load.
Pull BP @ 5785'.

10-19-64 Flwd. 56 BNO thru 1/8" chk./6 hrs., gty. 35.4,
(5377-5618').
TD 6250', ~~PB 6203'~~, Completed.

PBD 6088

OWWO

COUNTY LEA FIELD Justis STATE NM MN 20848

OPR ATLANTIC RICHFIELD CO. MAP

2 Stuart "A" WN

Sec 14, T-25-S, R-37-E CO-ORD

330' FNL, 2310' FWL of Sec.

Re-Cmp 4-14-69	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING 9 5/8" at 1004' w/464 sx 7" at 6250' w/1195 sx				
LOGS EL GR RA IND HC A				

TD 6250'; PBD 5850'

IP (Blinebry) Perfs 5165-5337' P 33 BOPD + 134 BW. Pot based on 24 hr test, GOR 833.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 5337' TYPE WO
DATE

F.R.C. 5-8-69
PD 5337' WO (Blinebry)
(Orig. Sinclair Oil & Gas Co. #2 Stuart "A" WN,
comp 10-1-64 thru (Tubb-Drinkard) Perfs
5958-6079', OTD 6250', OPB 6088')
5-5-69 TD 6250'; PBD 5850'; COMPLETE
Set BP @ 5850'
Perf @ 5165', 5172', 5191', 5197', 5209',
5222', 5226', 5245', 5248', 5252',
5258', 5261', 5290', 5313', 5337' w/1 SPI
Acid (5165-5337') 2000 gals
Frac (5165-5337') 30,000 gals brine + 30,000# sd
5-8-69 COMPLETION REPORTED