Form 9-331

13

Dec. 1973	Budget Bureau No. 42–R1424
UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	NM- 0321613
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	N·M.F.U. 8. FARM OR LEASE NAME
1. oil gas well other	Jack B-26
2. NAME OF OPERATOR	9. WELL NO. 2
Conoco Inc.	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR P.O. Box 460, Hobbs, N.M.	Justis Blinebry 11. SEC., T., R., M., OR BLK. AND SURVEY OF
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.) AT SURFACE: 1980' FNL & G60' FWL	Sec. 26, 24-5, 37-E
AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE
AT TOTAL DEPTH:	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	3211' D.F.
TEST WATER SHIP OF THE	2 n nn (2 lh)
FRACTURE TREAT SHOOT OR ACIDIZE	EIVED
DEDAID WITH	1 2 (1979 Report results of multiple completion or zone
MULTIPLE COMPLETE	1 & IJ/ J change on Form 9-330.)
CHANGE ZONES U. S. GEOL	OGICAL SURVEY
	NEW MEXICO
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertine. It is proposed to clean out & acidiz	directionally drilled, give subsurface locations and nt to this work.)*
IRU & Kill well if necessary. Pull production	equipment & clear out csq. to
5845! Pump 2310 gal. 15% HCI-NE W	/ sequestering agent. Flush
swab back load. Pull working equipment,	run production equipment &
turn to production.	
·	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED Wie a. Puterfield TITLE Admin. Super	VISAC DATE 9/10/77
(This space for Federal or State of	fice use)
APPROVED BY	APPRO 1070
265-8	SEP 12 1979
MFu-4	Side ACTING DISTRICT ENGINEER
F/LE *See Instructions on Reverse	Side ACTING DIST.
	1