Form 9-330
(Rev. 5-63)

UNIT D STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICAT. (See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

HOBBS OFFICE O. C. C.
MAR 15 1 37 PM '66

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

5. LEASE DESIGNATION AND SERIAL NO.: NM 0321613

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

1a. TYPE OF WELL: OIL WELL [X] GAS WELL [ ] DRY [ ] Other

b. TYPE OF COMPLETION: NEW WELL [X] WORK OVER [ ] DEEP-EN [ ] PLUG BACK [ ] DIFF. RESVR. [ ] Other

7. UNIT AGREEMENT NAME: NMFU

8. FARM OR LEASE NAME: Jack B-26

2. NAME OF OPERATOR: Continental Oil Company

9. WELL NO.: 2

3. ADDRESS OF OPERATOR: P. O. Box 460, Hobbs, New Mexico

10. FIELD AND POOL, OR WILDCAT: NMFU Field Blinebry

4. LOCATION OF WELL (*Report location clearly and in accordance with any State requirements*)*

At surface: 1980' FNL & 660' FWL of Section 26, T-24S, Range 37E, Lea County, New Mexico, NMPM.

At top prod. interval reported below: Same

At total depth: Same

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: 26-24-37

14. PERMIT NO. | DATE ISSUED

12. COUNTY OR PARISH: Lea | 13. STATE: N.M.

15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (*Ready to prod.*)	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
12-28-64	3-15-65	3-3-66	3211 DF	3202

20. TOTAL DEPTH, MD & TVD	21. PLUG, BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS
10,246	6,275	-	→	10,246	-

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*: Blinebry 5192-5808

25. WAS DIRECTIONAL SURVEY MADE:

26. TYPE ELECTRIC AND OTHER LOGS RUN: Geolograph, GR Induction and Collar Log Dipmeter

27. WAS WELL CORED: No

28. CASING RECORD (*Report all strings set in well*)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8	48#	309	17 1/2	225 sx cl "c"	None
9 5/8	36#	3543	12 1/4	775 sx cl "c"	None
4 1/2	9.5#	6270	6 3/4	400 sx cl "c"	None

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
	NONE			

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2 3/8	5249	-

31. PERFORATION RECORD (*Interval, size and number*)

5195, 5236, 5278, 5324, 5334, 5352, 5368, 5385, 5422, 5482, 5496, 5534, 5655, 5706 and 5795 W/1 JSPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5195-5795	Acidized W/2500 gals 15% LSTNE acid and 20 ball sealers. Sd frac W/42000 gals brine wtr, 840# guar, 1050# Adomite Aqua, 42 gal "ADOMALL & 42,000# sand

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (*Flowing, gas lift, pumping—size and type of pump*)	WELL STATUS (*Producing or shut-in*)
3-6-66	Flowing	Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
3-6-66	24	22/64	→	157	258	6	1643

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
175	900	→	157	258	6	38

34. DISPOSITION OF GAS (*Sold, used for fuel, vented, etc.*): Vented

TEST WITNESSED BY: B.K. Rampley

35. LIST OF ATTACHMENTS: #37 Summary of porous zones

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED [signature] TITLE Staff Supervisor DATE 3-11-66

*(See Instructions and Spaces for Additional Data on Reverse Side)

USGS-5, PAN AM HOBBS-3, ATL ROS-2, CALIF MID-2, LPT

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.
If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.
Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.
Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.
Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.
Item 29: *"Sacks Cement":* Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.
Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP MEAS. DEPTH	TOP TRUE VERT. DEPTH

U.S. GOVERNMENT PRINTING OFFICE: 1963—O-683636