

COUNTY: <u>LEA</u>		FIELD <u>Justis</u>		STATE <u>NM</u>	
OPR <u>OLSEN OILS, INC.</u>				MAP	
2 Olsen-Stuart					
Sec. 11, T-25-S, R-37-E				CO-ORD	
2160' fr S Line & 2310' fr W Line of Sec.					
Spud 10-9-64; Comp 1-29-65 (B);				CLASS	
Comp 1-28-65 (T-D)				EL <u>31238</u>	
CSG & SX - TUBING		LOG:	FORMATION	DATUM	FORMATION
			Anhy 930		
			B/Salt 2230		
			Yates 2403		
			Queen 3095		
			Penr 3193		
			Grayh 3340		
LOGS EL GR RA IND HC A			SA 3619		
			TD 6200', PBD 6128'		

IP Blinebry Perfs 5195-5613' Pmpd 99 BOPD + 110 BW. Pot. Based on 24 hr test, gravity 36.

IP Tubb-Drinkard Perfs 5873-6117' Pmpd 60 BOPD + 1 BW. Pot. Based on 24 hr test, gravity 36.9.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. <u>Leatherwood Drlg. Co.</u>	PROP DEPTH <u>5200'</u>	TYPE
DATE		

F.R. 10-15-64; Oper's Elev. 3128' KB
Contractor - Leatherwood Drlg. Co.
PD 5200' - Queen & Glorieta

10-19-64 TD 3195', prep to DST.
Cored 3090-3137', rec 47' anhy., shly sd & dolo., w/shows in bottom 4'.
Cored 3137-60', rec 23' sd. & dolo., w/shows in sand.
Cored 3160-95', rec 33' sd. & dolo., w/shows in sand.

10-26-64 Drlg. 4123'.
DST 3102-95', open 1 hr 30 mins,
Rec 300' GCM,
FP 132-241#, 30 min FSIF 241#.
Cored 3210-51', rec 41' silty sd & dolo., w/scatt shows.

10-26-64 - cont. -
DST 3192-3251', open 1 hr,
GTS 59 mins @ TSTM
Rec 95' GCM,
FP 42-74#, 30 min FSIP 149#.
Lost circ. @ 3432'.
11-2-64 TD 5036', prep to drill,
Cored 4850-4904', rec 54' anhy dolo., w/
scatt shows.
DST 4855-4904', open 1 hr,
Rec 350' O&GCM,
FP 87-131#, 30 min FSIP 285#.
Cored 4904-36', rec 32' anhy dolo., w/
scatt shows.
Cored 4936-93', rec 57' anhy dolo., w/
scatt shows.

DST 4900-93', open 1 hr,
rec 420' GCM,
FP 109-175#, 35 min FSIP 285#.
Cored 4993-5036', rec 43' anhy dolo., w/
fair-good pore & shows.
11-9-64 Drlg. 5844',
SP DST 4990-5068', open 1 hr,
rec 600' GCM
FP 285-438#, 30 min FSIP 723#.
11-16-64 TD 6200', WCC
11-23-64 TD 6200', WCC
11-30-64 TD 6200', SI.
12-7-64 TD 6200', SI.
12-14-64 TD 6200', SI.
12-21-64 TD 6200', SI.

1-4-65 TD 6200', SI.
1-11-65 TD 6200', SI.
1-18-65 TD 6200', SI.
(Final posting until status changes)
2-15-65 TD 6200', PBD 6128', COMPLETED.
Perf (Drinkard) @ 5989', 6038', 6044', 6068',
6081', 6092', 6112', 6117' W/1 SPI
Perf (Tubb) @ 5873', 5884', 5895', 5909',
5912', 5922', 5941', 5955', 5958' W/1 SPI
Ac. 3500 gals. (5873-6117')
Frac 30,000 gals oil + 30,000# sd. (5873-6117')
Re-Ac. 5000 gals dolo wash 5873-6117'.
Perf (Blinebry) @ 5195', 5225', 5247', 5256',
5347', 5353', 5361', 5403', 5414', 5438',
5455', 5478', 5501', 5512', 5520', 5532',

5540', 5565', 5578', 5584', 5593', 5613'
W/1 SPI
Ac. 7000 gals.
Frac 30,000 gals gelled acid + 30,000# sd.
(5195-5613')
LOG TOPS: Glorieta 4750', Paddock 4990',
Blinebry 5139', Tubb 5838', Drinkard 5960'.