

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

MAR 4 11 12 AM '65

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Sinclair Oil & Gas Company	8. Farm or Lease Name Wimberly WN
3. Address of Operator P. O. Box 1920, Hobbs, New Mexico	9. Well No. 9
4. Location of Well UNIT LETTER E 1980 FEET FROM THE North LINE AND 330 FEET FROM THE West LINE, SECTION 24 TOWNSHIP 25S RANGE 37E NMPM.	10. Field and Pool, or Wildcat Justis Blinebry
15. Elevation (Show whether DF, RT, GR, etc.)	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Perforate, treat & complete

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 2-23-65 Jet perforate Blinebry 5334-38', 5397-5400', 5470-75', 5501-04', 5514-5518', 5524-27' w/ 44 - 3/8" holes. Ram 2" tubing and packer to 5300', M. A. wash Blinebry perfs. w/ 1500 gallons BDA plus 62 ball sealers Max. Press. 5500#, Min. 2000# @ 4.2 BPM, Inst. S.I.P. 1100# in 5 min. S.I.P. 1000#.
- 2-25-65 Sand Oil Frac Blinebry perforations 5334-5527' w/20,000 gallons refined oil w/adomite and 32 ball sealers plus 40,000# sand, Max. Press. 4100#, Min. 3000# @ 15.1 BPM, Inst. S.I.P. 1200#, 10 min. S.I.P. 1000#.
- 3-2-65 Flow Blinebry perforations 5334-5527' 72 BNO Gvty 37.4, 16/64" choke, tubing pressure 425# for calculated 24 hr. potential 144 BOPD GOR 970:1.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE **Superintendent** DATE **3-2-65**

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

Orig:2cc: OCC, Hobbs; cc: RFS; cc: file