

COUNTY		LEA		FIELD Justis		STATE NM	
OPR		SINGAIR OIL & GAS CO.				MAP	
		10 Wimberly WN				CO-ORD	
		Sec. 23, T-25-S, R-37-E					
		1980' fr N Line & 2309' fr W Line of Sec.					
		Spd 8-13-65; Cmp 10-1-65 (Tubb);				CLASS	
		Cmp 11-3-65 (Bli)		FORMATION		DATUM	
CSG & SX - TUBING							
9 5/8" 956' 500							
7" 6100' 1060							
LOGS EL GR RA IND HC A							
				TD 6100', PBD 6067'			
IP Blinbry Perfs 5377-5510' Flwd 79 BOPD + 48 BW. Pot. Based on 24 hr test thru 18/64" chk., TP 210#, CP 50#, gravity 36.3, GOR 1120. IP Tubb Perfs 5814-5975' Pmpd 16 BOPD + 32 BW. Pot. Based on 24 hr test, gravity 36.2, GOR 690.							
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.							
CONT		Leatherwood Drlg. Co.				PROP DEPTH 6100' TYPE	
DATE							

F.R. 8-12-65
 PD 6100' - Drinkard
 Contractor - Leatherwood Drlg. Co.
 8-16-65 Drlg. 1044' anhy & salt.
 8-23-65 Drlg. 2270' salt & anhy.
 Lost circ @ 1044' & 1602'.
 8-30-65 Drlg. 3680' lm & sh.
 9-7-65 TD 4950', prep to DST 4850-4950'.
 9-13-65 Drlg. 5932' lm & dolo.
 DST (Paddock) 4850-4950', open 2 hrs,
 GTS 1 hr 25 mins @ TSTM,
 rec 300' sli oil & WCM, 30' GC sul wtr,
 1 hr ISIP 571#, FP 105-126#,
 2 hr FSIP 550#.
 9-20-65 TD 6100', PBD 6067', MORT.

-27-65 TD 6100', PBD 6067', swbg.
Perf (Tubb) @ 5814', 5823', 5934', 5837',
5845', 5857', 5871', 5876', 5899', 5904',
5922', 5923', 5934', 5938', 5967', 5975' W/2 SPI
Ac. 2000 gals.
Swbd 13 BNO + 20 BAW in 10 hrs.
Frac 20,000 gals ref. oil + 20,000# sd. 5814-
5975'
Swbg 1 BFFH (55% wtr).
10-4-65 TD 6100', PBD 6067', pmpg load.
Swbd 10 BLO + 22 BFW in 7 hrs.
10-11-65 TD 6100', PBD 6067', pmpg load.
10-18-65 TD 6100', PBD 6067', pmpg load.
10-25-65 TD 6100', PBD 6067', flwg load from Blinebry.
Pmpd 15 BNO + 23 BFW/24 hrs (5814-5976')

Perf (Blinebry) @ 5377', 5387', 5393',
5446', 5462', 5479', 5482', 5490', 5510'
W/2 SPI
Ac. 1500 gals.
Swbd 61 BLO + 40 BNO + 36 BAW + 16 BFW in
11 hrs.
Frac 20,000 gals ref. oil + 40,000# sd. 5377-
5510'
Flwd 357 BLO in 22 hrs thru 18/64" chk., TP
200#.
11-1-65 TD 6100', PBD 6067', WO Dual Completion.
Flwd 268 BLO + 10 BNO + 171 BFW in 24 hrs
thru 18/64" chk., TP 450# (5377-5510')
11-8-65 TD 6100', PBD 6067', COMPLETED.
LOG TOPS: Anhydrite 900', Yates 2345',
Queen 3155', San Andres 3588', Glorieta
4750', Paddock 4850', Blinebry 5158', Tubb
5757'.

COUNTY IEA FIELD Justis STATE NM MN 21354 OWWO
 OPR ATLANTIC RICHFIELD CO. MAP
 10 Wimberly "WN"
 Sec 23, T-25-S, R-37-E CO-ORD
 1980' FNL, 2309' FWL of Sec.

Re-Cmp 3-11-69	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING 9 5/8" at 956' w/500 sx 7" at 6100' w/1060 sx				
LOGS EL GR RA IND HC A				

TD 6100'; PBD 5300'

IP (Blinebry) Perf 5142-5259' F 220 BOPD. Pot based on 12 hr test thru 40/64" chk. GOR 1200; Grav NR; CP 575#; TP 20#.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 5300' TYPE WO
 DATE

F.R.C. 4-17-69
 PD 5300' WO (Blinebry)
 (Orig. Sinclair Oil & Gas Co. #10 Wimberly "WN",
 comp 10-1-65, thru (Blinebry) Perfs 5377-5510',
 & (Tubb) Perfs 5814-5975', OTD 6100', OPB 6067')
 4-14-69 TD 6100'; PBD 5300'; COMPLETE
 Set BP @ 5300'
 Perf (Blinebry) @ 5142', 5148', 5161', 5165',
 5167', 5191', 5195', 5199', 5212', 5217',
 5259' w/1 SPI
 Acid (5142-5259') 2000 gals
 Frac (5142-5259') 30,000 gals wtr + 30,000# sd
 4-17-69 COMPLETION REPORTED