

F.R. 10-28-65
PD 6144' - Blinebry & Tubb-Drinkard
1-17-66 Drlg. 3191'.
1-24-66 Drlg. 4536'.
Cored 3330-88', rec 47.3' dolo & sd.,
w/7' sli show.
Cored 3388-3409', rec 21' being:
15' tight dolo; 3' sdy dolo; 3' sdy
dolo., w/sli show oil.
Cored 3409-47', rec 35' being:
9' tight dolo; 18' tight sdy dolo;
4' sd.,w/NS; 4' sd., w/show.
1-31-66 Drlg. 6066'.

7-66 TD 6144', PBD 6112', tstg.
Perf (Blinebry) @ 5357', 5367', 5377',
5389', 5437', 5444', 5490', 5504',
5542', 5564', 5584', 5588', 5594',
5633', 5656', 5662', 5674', 5694',
5706' W/1 SPI
Ac (5357-5706') 1500 gals 15%; IR 3.6
BPM
Swbd 70 BLW/7 hrs.
Perf (Drinkard) @ 5975', 5981', 5998',
6012', 6019', 6025', 6035', 6059',
6076' W/2 SPI
Ac (5975-6076') 10,000 gals 15%; IR
@ 4.4 BPM
Swbd 126 BLW/9 hrs.

2-14-66 TD 6144', PBD 6112', tstg Drinkard.
Frac (5357-5706') 15,000 gals oil +
15,000# sd. IR 7.3 BPM @ 3000-2800#
Blinebry Complete
Drinkard Swabbed 45 BLO, 10 BNO, 65 BLW +
16 BFW/15 hrs (5975-6076')
2-21-66 TD 6144', PBD 6112', COMPLETED.
(Holding for tops)
2-28-66 TD 6144', PBD 6112', Completion Reported.
LOG TOPS: Anhydrite 971', Base Salt
2261', Yates 2477', Queen 3330', San
Andres 3753', Glorieta 4802', Blinebry
5132', Tubb 5950'.

COUNTY LEA FIELD Justis STATE N.M.
 OPR TEEXACO INC. MAP
2 Fristoe, C. C. (b) NCT-1 Federal
Sec 26, T-24-S, R-37-E
550' fr S & W Lines of Sec. CO-ORD

	CLASS			
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
LOGS EL GR RA IND HC A				

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 6144' TYPE

F.R. 10-28-65
 PD 6144' -Blinebry & Tubb-Drinkard