

Orig & 3cc: USGS

lcc: W. L. Boone

lcc: R. H. Coe

lcc: File UNITED STATES

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved,
Budget Bureau No. 42-R355.5.DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ DRY ☐ Other WELL

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other WELL

2. NAME OF OPERATOR

GIFTY OIL COMPANY

3. ADDRESS OF OPERATOR

P. O. BOX 249, HOBBS, NEW MEXICO

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1795 FWL, 1795 FWL

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

12. COUNTY OR PARISH

Lea

13. STATE

New Mexico

15. DATE SPUDDED

9-25-68

16. DATE T.D. REACHED

10-27-68

17. DATE COMPL. (Ready to 1795)

11-6-68

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

3078 Gr.

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

7912

21. PLUG, BACK T.D., MD & TVD

7900

22. IF MULTIPLE COMPL., HOW MANY*

→

→

ROTARY TOOLS

All

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

7753 - 7880 McKee

25. WAS DIRECTIONAL SURVEY MADE

Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN

Dresser Atlas Acoustilog and laterolog

27. WAS WELL CORED

Yes

28. CASING RECORD (Report all strings set in well)

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8	48	529	17-1/4	525 sacks	None
8-5/8	32	2258	11	2010 sacks	None
5-1/2	15.5 & 17	7911	7-7/8	908 sacks	None

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					8-3/8	7705	7670

31. PERFORATION RECORD (Interval, size and number)

one jet per foot: 7753-73, 7781-7867
one jet per foot: 7819 and one at 7823
one jet per foot: 7826-49, 7864-80.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
7753-7880	1500 gals 15% HCL acid
	1000 gals 4% Hydrofluoric 15% HCL
	4250 treated brine, 500 gals gelled brine & 500 rock salt

33.* PRODUCTION

33.

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
12-5-68 Injection		Wpr.					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
			→				
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
		→					
							TEST WITNESSED BY

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

Electric logs and deviation survey

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

ORIGINAL SIGNED BY:

SIGNED C. L. Wade

TITLE

Area Superintendent

DATE 11-15-68

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS	
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH TOP TRUE VERT. DEPTH
McKee	7640	Core #1 7664	Sec. 22', lime and shale	Anby	760
McKee	7664	Core #2 7721	Sec. 56' as follows: 5' limy shale, 6' irregular bedded lime, 2' shaley limy sand, 2' sandy shale, 7' sand-shaley-mas. grains, no odor, 4' sl. sandy, shaley lime, 3' green shale, 7' limy shale, 3' very shaley green sand, 2' green shaley lime, 15' dark grey shale, abundant lime stringers, no nodules.	Yates Queen Penrose San Andres Glorieta Blinobry Tubbs Drinkard Fusselman Montoya Simpson McKee	2290 2944 3055 3490 4591 4970 5600 5780 6613 6910 7308 7752
McKee	7721	Core #3 7755	Sec. 32' as follows: 15 1/2' limy shale, grey to green, 1 1/2' shaley sand, granular, massive, black, no show, 4' limy shale, green & red, variegated, 1' sand, granular, shaley, massive, black, no show.		
McKee	7755	Core #4 7804	Sec. 43 1/2' as follows: 9' shaley sand, green massive black, 2' thin bedded grey green sandy shale, 1' limy, sandy shale, 4' shaley sand, green, massive, black, no show, 3' limy, sandy shale, 3' grey-green shale, 2' sandy shaley lime, 1' green sandy, shale, 7' shaley sand, 1' green shale, 10-1 1/2' green shaley, blacky sand.		

Getty Oil Company

Southern Division

JUSTIS MCKEE UNIT NO. 128 - DEVIATIONS

DEPTH	DEGREE OFF	DEPTH	DEGREE OFF
211	1/2	4755	1
534	1/4	5345	1/4
995	1	5663	1/2
1407	1/2	5779	1/4
1775	2-1/2	6153	3/4
1893	2-3/4	6360	1
1988	2-1/2	6555	1
2110	2-3/4	6763	3/4
2202	2-1/4	6819	1-1/4
2385	1-1/4	6921	1
2608	1/2	7091	1-1/2
3050	1/4	7238	2
3350	1/2	7442	1-3/4
3850	1-1/4	7591	2-1/2
4044	1	7640	3
4290	1	7875	3-1/4

The above information is correct and complete to the best of my knowledge.

C. L. Wade
C. L. Wade, Area Superintendent

STATE OF NEW MEXICO
COUNTY OF LEA

SWORN TO BEFORE ME, the undersigned, on this the 31st day of December, 1968.

Harold E. Wilson
Harold E. Wilson, Notary Public
in and for the County of Lea
State of New Mexico

My commission expires 12/2/71

ABSTRACT OF THE RECORDS

DATE	DESCRIPTION	AMOUNT	REMARKS
1901	...	...	...
1902	...	...	...
1903	...	...	...
1904	...	...	...
1905	...	...	...
1906	...	...	...
1907	...	...	...
1908	...	...	...
1909	...	...	...
1910	...	...	...
1911	...	...	...
1912	...	...	...
1913	...	...	...
1914	...	...	...
1915	...	...	...
1916	...	...	...
1917	...	...	...
1918	...	...	...
1919	...	...	...
1920	...	...	...
1921	...	...	...
1922	...	...	...
1923	...	...	...
1924	...	...	...
1925	...	...	...
1926	...	...	...
1927	...	...	...
1928	...	...	...
1929	...	...	...
1930	...	...	...
1931	...	...	...
1932	...	...	...
1933	...	...	...
1934	...	...	...
1935	...	...	...
1936	...	...	...
1937	...	...	...
1938	...	...	...
1939	...	...	...
1940	...	...	...
1941	...	...	...
1942	...	...	...
1943	...	...	...
1944	...	...	...
1945	...	...	...
1946	...	...	...
1947	...	...	...
1948	...	...	...
1949	...	...	...
1950	...	...	...
1951	...	...	...
1952	...	...	...
1953	...	...	...
1954	...	...	...
1955	...	...	...
1956	...	...	...
1957	...	...	...
1958	...	...	...
1959	...	...	...
1960	...	...	...
1961	...	...	...
1962	...	...	...
1963	...	...	...
1964	...	...	...
1965	...	...	...
1966	...	...	...
1967	...	...	...
1968	...	...	...
1969	...	...	...
1970	...	...	...
1971	...	...	...
1972	...	...	...
1973	...	...	...
1974	...	...	...
1975	...	...	...
1976	...	...	...
1977	...	...	...
1978	...	...	...
1979	...	...	...
1980	...	...	...
1981	...	...	...
1982	...	...	...
1983	...	...	...
1984	...	...	...
1985	...	...	...
1986	...	...	...
1987	...	...	...
1988	...	...	...
1989	...	...	...
1990	...	...	...
1991	...	...	...
1992	...	...	...
1993	...	...	...
1994	...	...	...
1995	...	...	...
1996	...	...	...
1997	...	...	...
1998	...	...	...
1999	...	...	...
2000	...	...	...
2001	...	...	...
2002	...	...	...
2003	...	...	...
2004	...	...	...
2005	...	...	...
2006	...	...	...
2007	...	...	...
2008	...	...	...
2009	...	...	...
2010	...	...	...
2011	...	...	...
2012	...	...	...
2013	...	...	...
2014	...	...	...
2015	...	...	...
2016	...	...	...
2017	...	...	...
2018	...	...	...
2019	...	...	...
2020	...	...	...
2021	...	...	...
2022	...	...	...
2023	...	...	...
2024	...	...	...
2025	...	...	...
2026	...	...	...
2027	...	...	...
2028	...	...	...
2029	...	...	...
2030	...	...	...
2031	...	...	...
2032	...	...	...
2033	...	...	...
2034	...	...	...
2035	...	...	...
2036	...	...	...
2037	...	...	...
2038	...	...	...
2039	...	...	...
2040	...	...	...
2041	...	...	...
2042	...	...	...
2043	...	...	...
2044	...	...	...
2045	...	...	...
2046	...	...	...
2047	...	...	...
2048	...	...	...
2049	...	...	...
2050	...	...	...
2051	...	...	...
2052	...	...	...
2053	...	...	...
2054	...	...	...
2055	...	...	...
2056	...	...	...
2057	...	...	...
2058	...	...	...
2059	...	...	...
2060	...	...	...
2061	...	...	...
2062	...	...	...
2063	...	...	...
2064	...	...	...
2065	...	...	...
2066	...	...	...
2067	...	...	...
2068	...	...	...
2069	...	...	...
2070	...	...	...
2071	...	...	...
2072	...	...	...
2073	...	...	...
2074	...	...	...
2075	...	...	...
2076	...	...	...
2077	...	...	...
2078	...	...	...
2079	...	...	...
2080	...	...	...
2081	...	...	...
2082	...	...	...
2083	...	...	...
2084	...	...	...
2085	...	...	...
2086	...	...	...
2087	...	...	...
2088	...	...	...
2089	...	...	...
2090	...	...	...
2091	...	...	...
2092	...	...	...
2093	...	...	...
2094	...	...	...
2095	...	...	...
2096	...	...	...
2097	...	...	...
2098	...	...	...
2099	...	...	...
2100	...	...	...

...

...

...

...

...

...