

COUNTY LEA FIELD Wildcat STATE NM 30-025-22788

OPR KING RESOURCES CO. MAP

1 Sunray

Sec. 26, T-25-S, R-37-E

1980' FSL, 1980' FWL of Sec. CO-ORD

Spd 10-8-68

Cmp 11-23-68 CLASS EL 3035'

CSG & SX - TUBING	FORMATION			
	FORMATION	DATUM	FORMATION	DATUM
8 5/8" at 893' w/470 sx				

LOGS EL GR RA IND HC A

PLUGGED & ABANDONED TD 7795' sh, lm & cht

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Leatherwood PROP DEPTH 7200' TYPE RT

DATE

F.R. 10-7-68
 PD 7200' RT - Devonian
 Contractor - Leatherwood
 Drlg. 2520'
 TD 3179'; Drlg. cmt plug @ 1030'
 Cored 3115-65', rec 50', no description
 Cored 3169-79', rec 10', no description
 Lost circ @ 3179'
 Drlg. 4123'
 Cored 3179-3233', rec 54', no description
 Cored 3233-89', rec 56', no description
 Drlg. 5840'
 Drlg. 7052'
 TD 7795'; On DST
 DST 7215-30', open 1 hr, rec 30' O&GCM, 1 hr ISIP
 1266#, FP 57-57#, 2 hr FSIP 1154#

10-14-68
 10-21-68
 10-28-68
 11-4-68
 11-11-68
 11-18-68

LEA

Wildcat NM
KING RESOURCES CO. #1 Sunray

Sec. 26-25S-37E
Page #2

11-25-68

TD 7795' sh, lm & cht, P&A
DST 7772-95', open 3 hrs, rec 2350' sul wtr,
1 hr ISIP 2610#, FP 87-1063#, 3 hr FSIP
2610#, HP 3954#
SP DST 5590-5827', open 2 hrs 20 mins, GTS 15
mins @ TSTM, rec 900' HGCDF (5% oil) + 200'
HO&GC salt wtr (10% oil) + 2200' GC salt wtr,
1 hr ISIP 2327#, FP 507-1263#, 4 hr FSIP 2327#.
LOG TOPS: Rustler 868', Yates 2215', Queen
3095', San Andres 3669', Glorieta 4895', Tubb
5968', Woodford 7530', Devonian 7756'
COMPLETION REPORTED

11-28-68

COUNTY	LEA	FIELD	Justis	STATE	MN 22788-WO
OPR	KING RESOURCES CO.			MAP	
	1 Sunray				
	Sec 26, T-25-S, R-37-E			CO-ORD	
	1980' FSL, 1980' FWL of Sec.				
	Re-Spd 3-19-69		CLASS	OWDF	EL [REDACTED]
	Re-Cmp 4-23-69		FORMATION	DATUM	FORMATION DATUM
CSG & SX - TUBING 8 5/8" at 893' w/470 sx 4 1/2" at 5917' w/900 sx					
LOGS EL GR RA IND HC A			TD 7795'; PBD 5869'		

IP (Blinebry) Perfs 5288-5779' P 20 BOPD + 310 BW. Pot based on 24 hr test.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	6150'	TYPE
DATE			

F.R. 3-4-69
PD 6150' (Blinebry)
(Orig. P&A 11-23-68, OTD 7795')

3-25-69 TD 7795'; Drlg cmt
Ran 4 1/2" csg

3-31-69 TD 7795'; PBD 5869'; Swbg
Perf @ 5288', 5352', 5356', 5360', 5386', 5389',
5400', 5440', 5500', 5579', 5636', 5704', 5707',
5716', 5779' w/1 SPI
Acid (5288-5779') 2000 gals
Frac (5288-5779') 35,000 gals wtr + 46,000# sd
Swbd 456 BLW, show O&G in 12 hrs (-158 BLW)

4-7-69 TD 7795'; PBD 5869'; RU Pmp
Swbd 330 BF (5-10% oil) in 10 hrs

4-14-69 TD 7795'; PBD 5869'; TO Pmp
Ppd 14 BO + 216 BW in 24 hrs

LEA
KING RESOURCES CO.

Justis
#1 Sunray

NM Sec 26, T-25-S, R-37-^m
Page 2

4-21-69	TD 7795'; PBD 5869'; WO Pot
4-21-69	Ppd 20 BO + 310 BW in 24 hrs
6-16-69	TD 7795'; PBD 5869'; WO Pot
6-23-69	TD 7795'; PBD 5869'; COMPLETE
6-26-69	COMPLETION REPORTED