

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒GAS
WELL ☐OTHER ☐SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Roden Oil Company

3. ADDRESS OF OPERATOR

P. O. Box 707, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
At surface405' E. of 1130' EBL, Sec. 30, T. 34N. R. 33E
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

3 miles NE of Dal., New Mexico

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

-05'

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

100'

16. NO. OF ACRES IN LEASE

100

19. PROPOSED DEPTH

10,400'

17. NO. OF ACRES ASSIGNED
TO THIS WELL

50

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

3129' GR.

22. APPROX. DATE WORK WILL START*

10-7-71

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
10	11 3/4	42#	100'	300 sacks
11"	8 5/8"	32#	3,000'	750 sacks
7 7/8"	5 1/2"	.5 x 17#	10,400	350 sacks

Amendment:

Since this proposed well is near a Queen sand water injection well with approximately 3,000 psi sand-face pressure, approval of this application is subject to additional requirements as follows:

- 11 3/4" surface casing to be set at minimum of 400 feet and cement circulated.
- Cement for 8 5/8" casing should circulate.
- Cement behind the 5 1/2" casing should be sufficient to isolate all potentially productive zones including the Tubbs, Drinkard, Abo, and Devonian.
- Blowout preventers to be installed and in working order before drilling the Queen formation.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

H. D. Smith
H. D. Smith

TITLE

Chief Clerk

DATE

10-7-71

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

AS AMENDED
1971

DATE

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1963-O-711-396

RECEIVED

NOV 12 1971

OIL CONSERVATION COMM.
HOBBES, D. L.

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section.


Operator RODEN OIL COMPANY		Lease "RAF"-30		Well No. 1	
Unit Letter "O"	Section 30	Township 24-S	Range 38-E	County LEA	
Actual Well Location of Well: 405 feet from the SOUTH line and 1650 feet from the EAST line					
Ground Level Elev. 3129	Producing Formation ELLENBURGER		Pool ELLENBURGER		Dedicated Acreage: 40 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Name W. H. Hammett
Position Chief Clerk
Company Roden Oil Company
Date October 7, 1971

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed OCTOBER 7, 1971
Registered Professional Engineer and/or Land Surveyor
MAX A. SCHUMANN JR.
Certificate No. 1510

RECEIVED

DEC 12 1971

OIL CONSERVATION COMM.
HOBBBS, N. D.