

WRS COMPLETION REPORT

COMPLETION NO. 31 TWP 24S RGE 38E
PI# 30-1-0017 12/08/88 SEC 30-025-24041-0002 PAGE 1

NMEX LEA * 1650FNL 1650FEL SEC SW NE
STATE COUNTY FOOTAGE SPOT
TEXACO PROD D X DO
OPERATOR WEST DOLLARHIDE DRINKARD UNIT
90 LEASE NAME
WELL NO. 3123GR DOLLARHIDE
OPER ELEV FIELD POOL AREA
API 30-025-24041-0002

LEASE TYPE NO. PERMIT OR WELL I.D. NO. OIL-WO
09/30/1986 11/03/1986 STATUS
SPUD DATE COMP. DATE TYPE TOOL
6600 DRINKARD NOT RPTD
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 10287 PB 7270 OTD 10287 FM/TD ELLNBRGR
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

5 MI NE JAL, NM

WELL IDENTIFICATION/CHANGES

INITIAL CLASS CHGD FROM D

INITIAL POTENTIAL

IPP 292BOPD 92 MCFD 38BW 24HRS
DRINKARD PERF W/ 198/IT 6372- 6685 GROSS
PERF 6372, 6374, 6379, 6381, 6387, 6389, 6404, 6410
PERF 6421, 6425, 6435, 6444, 6450, 6463, 6464, 6478
PERF 6479, 6486, 6495, 6541, 6544, 6551, 6558, 6565
PERF 6566, 6579, 6585, 6589, 6592, 6596, 6604, 6607
PERF 6609, 6615, 6617, 6619, 6620, 6624, 6626, 6636
PERF 6639, 6645, 6650, 6664, 6667, 6685
GTY (NR); GOR (NR)

FM - TUBB-DRINKARD
NO TREATMENT RPTD

PRODUCTION TEST DATA

DEVONIAN PERF 7485- 7582
PERF 7485- 7582
BRPG 7485- 7582 DEPTH 7270

MISCELLANEOUS

LSE AC 40

CONTINUED IC# 300257020886

Copyrighted
Reproduction
Prohibited



Petroleum Information
CORPORATION

PI-WRS-GET
Form No. 107

COMPLETIONS
PI# 30-T-0017 12/08/86 SEC 31 TWP 24S RGE 38E
30-025-24041-0002 PAGE 2

TEXACO PROD
90 WEST DOLLARHIDE DRINKARD UNIT D X DO

DRILLING PROGRESS DETAILS

TEXACO PROD
BOX 728
HOBBS, NM 88240
505-393-7191

OWWO: OLD INFO: FORMERLY HNG OIL 4 ELLIOTT
"31" FED. ELEV 3123 GR. SPUD 11/12/74. 13 3/8 @
614 W/950 SX, 9 5/8 @ 3810 W/1500 SX, 5 1/2 @
10285 W/500 SX. OTD 10287. PB 7980. COMP
11/15/74. IPP 6 BOPD. PROD ZONE: DEVONIAN
7485-7582.

07/28
12/04 LOC/1986/
10287 TD, PB 7270
COMP 11/3/86, IPP 292 BO, 92 MCFG, 38 BWPD
GOR (NR), GTY (NR)
PROD ZONE - DRINKARD 6372-6685

COUNTY	LEA	FIELD	Dollarhide	STATE	NM	30-025-24041
OPR	HNG OIL CO.					MAP
4 Elliott "31" Federal						
Sec 31, T-24-S, R-38-E					CO-ORD	
1650' FNL, 1650' FEL of Sec						
Spd 2-29-72						
Cmp 4-23-72		CLASS		EL		
		FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING						
13 3/8" at 614' w/950 sx						
9 5/8" at 3810' w/1500 sx						
5 1/2" at 10,285' w/500 sx						
LOGS EL GR RA IND HC A						
		TD 10,287'; PED 8813'				

IP (Fusselman) Perfs 8580-8716' F 312 BOPD + 24 BW. Pot based on 16 hr test thru 14/64" chk. GOR 952; Grav 41.7; CP Pkr; TP 400#

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 10,500' TYPE RT
DATE

	F.R. 2-15-72; Opr's Elev. 3123' GL
	PD 10,500' RT (Ellenburger)
3-6-72	Drlg. 2820' anhy
3-14-72	Drlg. 4345' lm
3-21-72	Drlg. 6724' sandy lm
3-28-72	Drlg. 8420' lm & sh
	DST 7510-7728', open 2 hrs 15 mins, rec 10' oil
	+ 170' DF, 1 hr ISIP 1100#, FP 46-93#, 4 hr
	FSIP 1496#, HP 3262-3238#
4-3-72	Drlg. 9831' sd, lm & sh
4-11-72	TD 10,285'; MORT
4-17-72	TD 10,287'; SI
	Drilled out to 10,287'
4-25-72	TD 10,287'; PED 8813'; WO OCC Potential
	Acid (10,285-287') 1000 gals

LEA
HNG OIL CO.

Dollarhide NM Sec 31, T24S, R38E
4 Elliott "31" Federal Page #2

4-25-72

Continued

Swbd Dry (10,285-287')

BP @ 8813'

Perf 8580-83', 8625-28', 8666-69', 8713-16'

Acid (8580-8716') 6000 gals

Ppd 312 BOPD in 16 hrs, GOR 952, Grav 41.7
(8580-8716')

5-22-72

TD 10,287'; PBD 8813'; COMPLETE

LOG TOPS: Yates 2685', Queen 3580', San

Andres 3970', Tubb 5978', Abo 6520', Woodford

7370', Devonian 7472', Silurian 7640', Fusselman

8610', Montoya 8663', Simpson 9308', Ellenburger

10,182'

5-27-72

COMPLETION REPORTED