

IP (Seven Rivers-Queen) Perfs 3302-70' P 22 BOPD + 16 BW.
Pot based on 24 hr test. GOR (NR); gty 33

F.R.C. 12-30-78 OWWO
(Orig. comp. 6-22-72 thru (Seven Rivers-Queen)
Perfs 3330-3526', OTD 3640', OPB 3603')
12-25-78 TD 3640'; PBD 3410'; Complete
Set BP @ 3410'
Perf (Seven Rivers-Queen) 3302-70' w/1 SPF
Acid (3302-70') 3700 gals (15%)
Frac (3302-70') 16,000 gals + 24,000# sd
12-30-78 COMPLETION ISSUED

12-5-26 NM
IC 30-025-70437-78

COUNTY LEA FIELD Leatherwood STATE NM 30-025-24123

OPR WILLIAMS, L. OPR MAP

1. 1st Rilla

S-17, T-24-S, R-27-E CO-ORD

1980' FSL, 660' FEL of Sep

Spd 6-8-72 CLASS EL

Cmp 6-22-72 FORMATION DATUM FORMATION DATUM

CSG & SX - TUBING

8 5/8" at 357' w/225 xx

4 1/2" at 3640'

LOGS EL GR RA IND HC A

ED 3640' FSL 3603'

IF (Seven Rivers-Queen) FSL 3330-3526' F 54 SOFD + 36 BW.

Pot based on 24 hr test. COF 16%, Grav 33

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Leatherwood PROP DEPTH 3800' TYPE RI

DATE

R.R. 5-15-72; Opr's Elev. 3250' GL, 3261' DF
ED 3800' RL (Seven Rivers-Queen)
Contractor - Leatherwood
6-12-72 Drlg. 2800'
6-20-72 ED 3640'; Prep Perf
6-26-72 ED 3640'; FSL 3603'; R' Fmp
Perf @ 3330', 3370', 3410', 3380', 3419', 3421',
3434', 3437', 3439', 3441', 3444', 3505', 3508',
3526' w/1 SPI
Acid (3330-3526') 2000 gals
Frac (3330-3526') 50 wt gals + 26,700 # sd
7-11-72 ED 3640'; FSL 3603'; 1st Fmp
7-25-72 ED 3640'; FSL 3603'; 2nd Fmp
7-31-72 ED 3640'; FSL 3603'; COMPLETE

LEA
YURONKA, JOHN

Langlie Mattix
1 Gulf Rilla

NM Sec 17, T24S, R37E
Page #2

7-31-72

Continued

LOG TOPS: Anhydrite 1140', Salt 1360', Base
Salt 2540', Yates 2814', Seven Rivers 3066',
Queen 3360'

8-5-72

COMPLETION REPORTED

COUNTY LEA FIELD Lepp's Matrix STATE NM 30-025-24123

OPR YORONGKA, JOHN MAP

1 Gulf Rilla

Sec 17, T-24-S, R-37-E CO-ORD

1980' FSL, 660' FEL of Sec

Spd 6-8-72

Cmp 6-22-72

	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING 8 5/8" at 357' w/225 sx 4 1/2" at 3640'				

LOGS EL GR RA IND HC A

ID 3640'; FSD 3603'

IP (Seven Rivers-Queen) Perfs 3330-3526' P 54 BOFD + 36 BW.
Pot based on 24 hr test. GOR 16%; Grav 33

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Leatherwood PROP DEPTH 3800' TYPE RT
DATE

ILLEGIBLE

F.R. 5-15-72: Opr's Elev. 3250' GL, 3261' DF
PD 3800' RE (Seven Rivers-Queen)
Contractor - Leatherwood
Drlg. 2800'
6-12-72 TD 3640'; Prep Part
6-20-72 TD 3640'; FSD 3603'; RE Fmp
6-26-72 Perf @ 3330', 3373', 3377', 3380', 3419', 3421',
3434', 3437', 3439', 3441', 3444', 3505', 3508',
3526' w/1 SPI
Acid (3330-3526') 2000 gals
Frac (3330-3526') 20,000 gals str + 26,700# sd
7-11-72 TD 3640'; FSD 3603'; 1pg LI
7-25-72 TD 3640'; FSD 3603'; 2D Fmp
7-31-72 TD 3640'; FSD 3603'; COMPLETE

LEA
YURONKA, JOHN

Langlie Mattix
1 Gulf Rilla

NM Sec 17, T24S, R37E
Page #2

7-31-72

Continued

LOG TOPS: Anhydrite 1140', Salt 1360', Base
Salt 2540', Yates 2814', Seven Rivers 3066',
Queen 3360'

8-5-72

COMPLETION REPORTED