

COUNTY TRA STATE NM 30-025-2423

OPR AMOCG PRODUCTION CO. MAP

25 Meters 100 Feet

Sec 21, T-24-S, R-27-E CO-013

660' SNL, 660' FWL of Sec

Spd 8-27-72

Temp 9-11-72

CSG & SK - TUBING

8 5/8" at 365' depth

5 1/2" at 3695' depth

LOGS SL 61 MA 30 SN 10

TO 3695'; PBD 3672'

IP (Quonon Pump) Depth 3672' BOPD 16 SLW. Pst based

on 24 hr test

CONF. Cactus PROP DEPTH 3700' rtcc RT

DATE

LINE	DESCRIPTION	DATE	TIME	REMARKS
AMOCO PRODUCTION CO.	...	...	...	...

AMCO TECHNOLOGY, INC.

9-2-74

[illegible]

2-30-72

COUNTY LEA FIELD Langlie-Mattix STATE NM 30-025-2423

OPR AMOCO PRODUCTION CO.
25 Myers "B" Federal
Sec 21, T-24-S, R-37-E
660' FNL, 660' FWL of Sec
Spd 8-27-72
Cmp 9-11-72

CO-ORD

EL

CLASS

FORMATION

DATUM

FORMATION

DATUM

CBS & SX - TUBING

8 5/8" at 365' w/225 sx
5 1/2" at 3696' w/250 sx

LOGS EL GR RA IND HC A

TD 3696'; PBD 3672'

IP (Queen) Perfs 3400-3626' P 36 BOPD + 16 BLW. Pot based
on 24 hr test. GOR TSTM; Grav NR

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus
DATE

PROP DEPTH

3700' TYPE RT

9-1-72
9-8-72

F.R. 8-28-72; Opr's Elev. 3242' GL, 3251' KB
PD 3700' RT (Queen)
Contractor - Cactus
Drlg. 3250'
TD 3696'; Swbg 1d
Perf 3400-01', 3420-22', 3442-43', 3448-49',
3458-49', 3471-73', 3478-79', 3487-89',
8492-94', 3498-99', 3504-06', 3511-12',
3522-26', 3529-34', 3545-46', 3571-72',
3586-92', 3595-98', 3610-12', 3619-20',
3621-22', 3625-26' w/2 SPF
Acid (3400-3626') 1500 gals
Frac (3400-3626') 44,000 gals jelled brine +
11,000# sd
9-15-72 TD 3696'; PBD 3672'; TO Pmp
Ppd 15 BO + 20 BLW in 24 hrs

LEA
AMOCO PRODUCTION CO.

Langlie-Mattix NM Sec 21, T24S, R37E
25 Myers "B" Federal Page #2

9-25-72

TD 3696'; PBD 3672'; COMPLETE

9-30-72

LOG TOPS: Yates 2896', Seven Rivers 3149',
Queen 3434', Penrose 3544', Grayburg 3632'
COMPLETION REPORTED