

COUNTY	LEA	FIELD	Justis	STATE	NM																																																								
OPK	RICE ENGINEERING & OPERATING CO.			API	MN 24761																																																								
NO	WD-B-12 LEASE Justis			MAP																																																									
	Sec 12, T25S, R37E			COORD																																																									
	880' FNL, 2310' FEL of Sec			RE	7-3-14 NM																																																								
	4 1/2 mi NE/Jal			SPD	12-27-76																																																								
				RE	4-11-77																																																								
US	<table border="1"> <thead> <tr> <th>WELL CLASS</th> <th>INTL</th> <th>UX</th> <th>FIN</th> <th>U</th> <th>ELEV</th> <th>U & S</th> </tr> <tr> <th>FORMATION</th> <th></th> <th>DATUM</th> <th></th> <th>FORMATION</th> <th></th> <th>DATUM</th> </tr> </thead> <tbody> <tr> <td>8 5/8" at 1041' w/500 sx</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5 1/2" at 5750' w/750 sx</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ID</td> <td>5750'</td> <td>(SADR)</td> <td>PBD</td> <td>5115'</td> <td></td> <td></td> </tr> </tbody> </table>					WELL CLASS	INTL	UX	FIN	U	ELEV	U & S	FORMATION		DATUM		FORMATION		DATUM	8 5/8" at 1041' w/500 sx							5 1/2" at 5750' w/750 sx																												ID	5750'	(SADR)	PBD	5115'		
WELL CLASS	INTL	UX	FIN	U	ELEV	U & S																																																							
FORMATION		DATUM		FORMATION		DATUM																																																							
8 5/8" at 1041' w/500 sx																																																													
5 1/2" at 5750' w/750 sx																																																													
ID	5750'	(SADR)	PBD	5115'																																																									

(San Andres) Perfs 4236-4542' Water Disposal Well

CONTR	OPRSELEV	3105' GL	PD	5100' WO
-------	----------	----------	----	----------

F.R. 12-27-76 OWWO
 (San Andres)
 (Orig. Texas Pacific Oil Co. #18 NE. Eaton,
 D&A 8-7-75, OTD 5750')
 7-16-79 TD 5750'; PBD 5115'; Complete
 CO to 5115'
 Perf (San Andres) 4236-4542' (overall)
 Acid (4236-4542') 10,000 gals (15%)
 7-21-79 COMPLETION ISSUED

7-3-14 NM
 IC 30-025-70261-76

COUNTY LEA FIELD Justis STATE NM
OPR TEXAS PACIFIC OIL CO., INC. API 21-025-24761
NO 18 LEASE Eaton, N. E. SERIAL 8-4-24 NM
Sec 12, T-25-S, R-37-E MAP
880' FNL. 2310' FEL of Sec CO-ORD

ELEV [REDACTED] L.B.

SPO	CMP	WELL CLASS	INT	FIN
7-4-74	8-7-75			
8 5/8" at 1041' w/500 ex 5 1/2" at 5750' w/750 ex		FORMATION	DATUM	FORMATION
		TD	5750' (B: BR)	PBD

DRY & ABANDONED

CONTR Leatherwood OPR'S ELEV 3105' G PD 5650' RT

F.R. 6-3-74
(Blinabry)
7-9-74 ID 1045'; WOC
7-16-74 Drlg 3436' dolo
7-23-74 Drlg 4463' lm, dolo & sd
7-30-74 Drlg 5577' dolo & lm
8-7-74 ID 5750'; WOC
8-14-74 ID 5750'; WOCU
8-26-74 ID 5750'; WOCU
10-1-74 ID 5750'; PBD 5690'; Prep Perf
10-7-74 ID 5750'; PBD 5690'; Swbg id
Perf (Blinabry) 5400-14', 5420-26', 5434-48',
5667-71' w/1 SPF
Acid (5400-5671') 300 gals
Frac (5400-5671') 20,000 gals wtr + 30,000# sd

8-4-24 NM

10-16-74 TD 5750'; PBD 5690'; RU Pmp
[REDACTED] 74 TD 5750'; PBD 5690'; TO Pmp
Ppd 10 BO + 220 BW in 24 hrs (5400-5671')
10-29-74 TD 5750'; PBD 5690'; TO Pmp
Ppd 12 BO + 180 BW in 24 hrs (5400-5671')
11-4-74 TD 5750'; PBD 5690'; IO Pmp
Ppd 5 BO + 75 BW in 24 hrs (5400-5671')
12-30-74 TD 5750'; PBD 5690'; TO Pmp
2-10-75 TD 5750'; PBD 5623'; Ppg 1d
Sqzd 5667-71' w/100 sx
Drld out to 5623'
Ppd 71 BW in 24 hrs (5400-48')
2-19-75 TD 5750'; PBD 5623'; IO Pmp
Ppd 1 BO + 70 BW in 24 hrs (5400-48')
8-4-24 NM

3-10-75 TD 5750'; PBD 5623'; TO Pmp
4-1-75 TD 5750'; PBD 5623'; WOC
Sqzd 5400-48' w/200 sx
4-7-75 TD 5750'; PBD 5300'; SI
Perf (Glorieta) 5270-90' w/1 SPF
Acid (5270-90') 4000 gals
Swbd 12 BLW + 10 BFW in 7 hrs (5270-90')
4-28-75 TD 5750'; PBD 5300'; SI
8-11-75 TD 5750'; D&A (Hold for Tops)
8-18-75 TD 5750'; Dry & Abandoned
LOG TOPS: Anhydrite 1005', Yates 2550', Seven
Rivers 2833', Queen 3329', Grayburg 3636', San
Andres 3875', Blinbry 5402'
8-23-75 COMPLETION ISSUED

8-4-24 NM