

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-105) FOR SUCH PROPOSALS.)</p>		<p>5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/></p>
		<p>5. State Oil & Gas Lease No. B-1732</p>
<p>OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p>		<p>7. Unit Agreement Name</p>
<p>1. Name of Operator AMOCO PRODUCTION COMPANY DRAWER "A"</p>		<p>8. Farm or Lease Name State Y</p>
<p>2. Address of Operator LEVELLAND, TEXAS 79336</p>		<p>9. Well No. 16</p>
<p>3. Location of well UNIT LETTER B 990 FEET FROM THE North LINE AND 2310 FEET FROM THE East LINE, SECTION 32 TOWNSHIP 24-S RANGE 38-E NMPM.</p>		<p>10. Field and Pool, or Wildcat Dollarhide Queen</p>
<p>15. Elevation (Show whether DF, RT, GR, etc.) 3184.1 GR</p>		<p>12. County Lea</p>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Evaluated well and determined that it is not commercially productive. Propose to permanently plug and abandon as follows: set cast iron bridge plug at 3750'. Cap with cement up to 3650'. Top of perforations 3761'. Fill the hole with mud laden fluid. Spot 100' (25 sx) 1175'-1275'. Spot 10 sack surface plug. Erect abandonment marker. Clean and level location.

I, I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Kenmis Rung TITLE Assist Admn. Analyst DATE 9-19-78

APPROVED BY John Runyon TITLE Geologist DATE SEP 20 1978

CONDITIONS OF APPROVAL, I
0+4 - NMOCC-H 1 - Susp
1- DIV 1 - DE