

COPY TO O. C. A.

Form 9-331  
Dec. 1973

Form Approved.  
Budget Bureau No. 42-R1424

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR  
CONOCO INC.
3. ADDRESS OF OPERATOR  
P.O. BOX 460, HOBBS, N.M. 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1650' FNL & 660' FEL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH: 1113' FNL & 660' FEL
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
- FRACTURE TREAT ☐
- SHOOT OR ACIDIZE ☐
- REPAIR WELL ☐
- PULL OR ALTER CASING ☐
- MULTIPLE COMPLETE ☐
- CHANGE ZONES ☐
- ABANDON\* ☐
- (other) set liner

SUBSEQUENT REPORT OF:

- ☐
- ☐
- ☐
- ☐
- ☐
- ☐
- ☐
- ☒

RECEIVED

MAY 14 1980

U. S. GEOLOGICAL SURVEY  
HOBBS, NEW MEXICO

5. LEASE  
LC-0325826
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME  
NMFU
8. FARM OR LEASE NAME  
WELLS B-1
9. WELL NO.  
5
10. FIELD OR WILDCAT NAME  
DEVONIAN ELLENBURGER
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
SEC. 1, T-25S, R-36E
12. COUNTY OR PARISH  
LEA
13. STATE  
N.M.
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
32 36' GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Reached TD of 12,915' on 5-7-80. Ran dual induction log, GR-CNL-FDC logs, spectra log, caliper log, & directional survey. Ran 4 1/2" guideshoe, 41' shoe jt., FC, 22 jts. 4 1/2", 11.6", LTC csg., liner hanger, receptacle, & setting sleeve. Liner is set from 11,947' to 12,914' - total 967'. Cmt'd w/ 140 SX. class "H" cmt. w/ additives. Did not reverse cmt. out.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED W. A. Butterfield TITLE Admin. Supervisor DATE 5/19/80

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

USGS-5  
NMFU-4  
FILE  
Getty  
Phillips

\*See Instructions on Reverse Side

ACCEPTED FOR RECORD
DATE
MAY 21 1980
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

RECEIVED

MAY 27 1980

OIL CONSERVATION DIV.