Form 9-331 Dec. 1973

Form	Approved.	
 Budge	Bureau N	n 42_P142

UNITED STATES	5. LEASE			
DEPARTMENT OF THE INTERIOR	I ・			
	LC-032582(b)			
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME			
	第一章 (2 · 2 · 2 · 2 · 2 · 2 · 2 · 2 · 2 · 2			
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)				
	8. FARM OR LEASE NAME			
1. oil gas well other	WELLS B-1			
Well Galler	9. WELL NO.			
2. NAME OF OPERATOR	5			
CONOGO INC.	10. FIELD OR WILDCAT NAME			
3. ADDRESS OF OPERATOR				
	DEVONIAN /ELLENBURGER			
P.D. Box 460 HOBBS N.M. 88240 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR			
below.)	AREA GOOD OF STEE			
AT SURFACE: 1650' FNL & 640'FEL	SEC. 1, T-255, R-36E			
AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE			
AT TOTAL DEPTH:	LEA SAS KM.			
	14. API NO.			
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,				
REPORT, OR OTHER DATA	15 5151/4514			
	15. ELEVATIONS (SHOW DF, KDB, AND WD)			
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	3 234 GR			
TEST WATER SHUT-OFF				
FRACTURE TREAT	그 그 그 그 그 그 사람들은 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그			
SHOOT OR ACIDIZE				
REPAIR WELL				
PULL OR ALTER CASING	(NOTE: hort results of multiple completion or zone change on Form 9–330)			
MULTIPLE COMPLETE	1980 change on Form 9–330.)			
CHANGE ZONES	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
ABANDON* U. S. GEOLOG	ICAL SURVEY SHATE 2 1199 1			
(other) set 7" csg. HOBBS, NE				
	को से का है। जा के के बार के किया के किया के किया किया है।			
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is disasting the distribution of the complete date of starting any proposed work. If well is disasting the distribution of the complete date of starting any proposed work.				
including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and				
the and the vertical departs for all markers and zones pertinent to this work.)*				
Reached 7" csg. TD of 12,285" on 4-18-8	O. Ran FDC-CNL-60 NI			
J	មានទីក្សាកាស៊ី ស្នាស់ ស្នា			
Caliper, BHC-GR logs. Ran float shoe, 40's				
1)	hoe jt, fl. collar, go jts.			
7" . 3./ / 1 1	그 : 그리는 그리를 살아왔다면 하는 그리를 하는 그리는 그리는 그리는 그리는 그리는 그리는 그리는 그리는 그리는 그리			
7" csg., DV tool, 1 205 more jts 7"csg.	Pipe to GL - 12 264. DV tool			
€ 8596! Cnt. 15 stage W/805 Jx. Clas	s H" cmt. W additives			
Cmt. 2th stage W/ 575 sx. class "H"	ant 12 1/4 100 1 1			
	EMI. WE Add TENTS			
Did not circi cont. to surface. Toc	그는 그는 그는 일본 회사를 위한 작업됐다.			
are, are, juryace, 102	@ 5440' 17 18 18 18 18 18 18 18 18 18 18 18 18 18			
	그는 그는 그는 그들의 전통 이상일 이제 표준할 때 그는			
Subsurface Safety Valve: Manu. and Type	Set @ Ft.			
18. I hereby certify that the foregoing is true and correct				
SIGNED FORMON TITLE ANACYST				
TITLE MACYST	ACCEPTED FOR RECORD			
(This space for Federal or State office				
•				
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE DATE			
US65-5	APR 2 8 1980			
NMF4-4				
Phillips	ELS GEOLOGICAL SURVEY			
Ge++y	ROSWELL, NEW MEXICO			
File *See Instructions on Reverse Sid	E KOSAAETT' LAEAA LAITVICO			
	the same of the sa			