

UNITED STATES HOBBS, NEW MEXICO
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other

2. NAME OF OPERATOR

Amoco Production Company

3. ADDRESS OF OPERATOR

P. O. Box 68, Hobbs, NM 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1980' FSL, 1980' FWL, Sec. 27

AT TOP PROD. INTERVAL: (Unit K, E/4, SW/4)

AT TOTAL DEPTH:


16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐



OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

LEASE
NM-24490

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Andrikopoulos Federal

9. WELL NO.

2

10. FIELD OR WILDCAT NAME

Wildcat Delaware

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

24-25-33

12. COUNTY OR PARISH

Lea

13. STATE

NM

14. API NO.

3332.4'

15. ELEVATIONS (SHOW DF, KDB, AND WD)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Moved in service unit 7-28-81. Ran 4-1/2" bit with drill collars and drilled out cement from 5250'-98'. Ran tubing and packer and spot acidized with 100 gal. 10% acetic acid at 5296'. Pulled tubing and bit and perforated at 5264'-96' with 2 SPF. Ran tubing and packer back in and set at 5206'. Swabbed Aug. 3-Aug. 10. Recovered a total of 25 bbls. of load water, 366 bbl of new water, slight trace of oil, and small show of gas during 68 hrs. of swabbing. Currently preparing to run rods & pump into hole.

0+4-USGS, H 1-Hou 1-Susp 1-MDR 1-W. Stafford, Hou

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Mark Randolph TITLE Ast. Adm. Analyst DATE 8-12-81

ACCEPTED FOR RECORD (This space for Federal or State office use)
ROGER A. CHAPMAN
APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

AUG 17 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO
See Instructions on Reverse Side