

UNITED STATES

SUBMIT IN TRIPLICATE
(Other instructions
reverse side)E*
re-Form approved.
Budget Bureau No. 42-R1424.

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR Alpha Twenty-One Production Company		8. FARM OR LEASE NAME Justis Federal	
3. ADDRESS OF OPERATOR 2100 First National Bank Building, Midland, Texas 79701		9. WELL NO. 1	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FNL and 1650' FEL		10. FIELD AND POOL, OR WILDCAT Langlie Mattix	
14. PERMIT NO.		11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA Section 11, T25S, R37E	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3141 Ground Level		12. COUNTY OR PARISH Lea	
		13. STATE N. M.	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input checked="" type="checkbox"/> Casing & Cementing	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The Well was Spudded 7-26-81

Drilled 15" Hole and set 30' of 12-3/4" Conductor Pipe and Cemented with Redimix to Surface

Drilled 12 1/4" Hole and Set 450' 8-5/8" 24 Lb. Surface Casing and Cemented with 280 Sx.

Class C, 2% Cacl. Circulated 65 Sx. (Work Accomplished 7-26-81)

Drilled 7-7/8" Hole and Set 3,600' 5 1/2" K55 14 Lb. Production Casing as Follows:


Guide Shoe	1.65'
1 Jt. 5 1/2" Casing	39.97'
Float Collar	1.64'
89 Jts. 5 1/2" Casing	3,556.74'
Total	3,600.00'

Cement as Follows:

350 Sx. BJ Lite, 15 Lb. Cacl, 5 Lbs. Gilsonite

300 Sx. 50-50 Pozmix, 9 Lbs. Cacl

Circulated 300 Sx. (Work Accomplished 8-3-81)

OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Tommy C. Hedges
FOR RECORD
(This space for RECORD State Chairman)

TITLE Executive Vice President

DATE 8-4-81

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY
AUG 7 1981

TITLE

DATE

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side