

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

P. O. BOX 1000
HOBBS, NEW MEXICO 88240

NM-15036

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other
2. NAME OF OPERATOR
The Superior Oil Co.
3. ADDRESS OF OPERATOR
P. O. Box 3901, Midland, Tx. 79702
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FSL, 1980' FEL, Sec. 35
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH: Same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Olson Federal

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 35, Blk. T-25S, R-34E

12. COUNTY OR PARISH

Lea

13. STATE

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
3302' GR

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

- | | | |
|----------------------------|--------------------------|--------------------------|
| TEST WATER SHUT-OFF | <input type="checkbox"/> | <input type="checkbox"/> |
| FRACTURE TREAT | <input type="checkbox"/> | <input type="checkbox"/> |
| SHOOT OR ACIDIZE | <input type="checkbox"/> | <input type="checkbox"/> |
| REPAIR WELL | <input type="checkbox"/> | <input type="checkbox"/> |
| PULL OR ALTER CASING | <input type="checkbox"/> | <input type="checkbox"/> |
| MULTIPLE COMPLETE | <input type="checkbox"/> | <input type="checkbox"/> |
| CHANGE ZONES | <input type="checkbox"/> | <input type="checkbox"/> |
| ABANDON* | <input type="checkbox"/> | <input type="checkbox"/> |
| (other) Tested Morrow zone | | |

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

7/27/82 thru 8/2/82: Drld. cmt. to 15,675'; circ. w/1000 bbls. 10# BW, filtered 1000 bbls. 10# BW + additives, logged 15,800'-12,000'

8/3/82 thru 8/7/82: Perfd 15,690'-722' w/2" gun @ 1 JSPF and @ 15,572-586', 15,474'-492', swabbed, treated, jetted, recovered load wtr. Suspended operation.

8/21/82 thru 8/29/82: Spotted HCL, perfd 15,403'-410' w/1 JSPF, ran temp. survey 15,800'-14,800', tested, acidized perfs 15,403'-15,722' w/6000 gals. 7½% HCL + additives, jetted, recovered load wtr. Suspended operations.

10/1/82 thru 10/6/82: Resumed operations. Pumped 87 bbls. 10# BW, Set BP @ 15,380', dumped lead shot on BP w/1' cmt. on top, WOC, loaded tbg. w/3% FWKCL, found plug @ 15,478' set BP @ 15,380' w/1' lead shot on BP, dumped 1' cmt. on top, WOC 24 hrs. *Second Seal Box entered*

10/7/82 thru 10/9/82: PBTD @ 15,340', tested BP to 4000'-O.K., swabbed, CION. will test Atoka.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Area Prod. Sup. DATE 1-25-83

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

*See Instructions on Reverse Side

ROSWELL, NEW MEXICO

RECEIVED

JAN 27 1983

OIL & GAS
MINERAL SERVICE
ROSWELL, NEW MEXICO

RECEIVED

RECEIVED
AUG 11 1983
O.C.D.
HOBBS OFFICE