

UNITED STATES N. M. OIL CONS. COMMISSION
P. O. BOX 1980
DEPARTMENT OF THE INTERIOR HOBBS, NEW MEXICO
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR

The Superior Oil Company

3. ADDRESS OF OPERATOR

P. O. Box 3901 Midland, Texas 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1980' FML, 1980' FEL, Section 35

AT TOP PROD. INTERVAL

AT TOTAL DEPTH: same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐CHANGE ZONES ☐ABANDON* ☐

(other) Weekly drlg rpt

5. LEASE

88240 NM-15036

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Olson Federal

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 35, T-25-S, R-34-E

12. COUNTY OR PARISH 13. STATE

Lea


New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3302' GR

(NOTE: Report results of well completion or zone change on Form 9-331-C)



17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) * ROSWELL, NEW MEXICO

5/16/82 POH, recovered 75 stds 4 1/2" DP & BHA, TIH fishing, pulled 1 std & 2 jts, POH w/fish

5/17/82 POH w/fish, RIH w/76 stds 4 1/2 DP, laid 218 jts 4 1/2 DP, GIH open ended

5/18/82 TIH w/DP to 12,030' TIH SLM

5/19/82 TIH w/magnet fishing, POH, TIH w/bit #14, drld to 14,057'

5/20/82 drld to 14,123'

5/21/82 drld to 14,193'

5/22/82 drld to 14,264'

5/23/82 drld to 14,345'

5/24/82 svy 3/4° at 14,345', drld to 14,356'

5/25/82 drld to 14,405'

5/26/82 drld to 14,458'

5/27/82 drld to 14,532'

5/28/82 drld to 14,555' POH, pulled 80 stds, TIH w/magnet

Subsurface Safety Valve: Manu. and Type

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

G. E. Tate

TITLE Prod. Supt.

DATE 6/21/82

APPROVED BY
CONDITIONS OFACCEPTED FOR RECORD
(ORIG. SGD.) DAVID R. GLASS

DATE

OCT 21 1982

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

* See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

GPO : 1981 O - 347-166

5/29/82 TIH, fishing, recovered fish, TIH
 5/30/82 RIH w/bit #16, jet cellar, drld 14,622'
 5/31/82 drld to 14,719'
 6/1/82 drld to 14,976', slug DP to POH
 6/2/82 POH, RIH w/bit #17, c&c, mud svy 3/4° at 14,776'
 6/3/82 continue c&c mud, drld 14,794'
 6/4/82 drld to 14,857, POH, TIH
 6/5/82 circ bottom up, ck for hole in DP
 6/6/82 checking DP, no leaks, drld to 14,860'
 6/7/82 drld to 14,935'
 6/8/82 drld to 15,027'
 6/9/82 drld to 15,090'
 6/10/82 drld to 15,130'
 6/11/82 svy 1° @ 15,128', RIH w/bit #19, drld to 15,143'
 6/12/82 drld to 15,223'
 6/13/82 drld to 15,271'
 6/14/82 drld to 15,293, POH w/bit #19
 6/15/82 lost bit, fishing, POH

OCT 1982
 HOBS