

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

RECEIVED  
NOV 28 1982

N. M. CONS. COMMISSION  
P. O. BOX 1980  
HOBBS, NEW MEXICO 88240

Form Approved.  
Budget Bureau No. 42-R1424

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)  
MINERALS MGMT. SERVICE  
ROSWELL, NEW MEXICO

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR  
Amoco Production Company
3. ADDRESS OF OPERATOR  
P. O. Box 68, Hobbs, New Mexico 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FSL X 1980' FEL, Sec. 34  
AT TOP PROD. INTERVAL: (Unit 0, SW/4, SE/4)  
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA.

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) Status update	<input type="checkbox"/>	<input type="checkbox"/>

5. LEASE  
NM-45706
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME  
Federal "DD"
9. WELL NO.  
1
10. FIELD OR WILDCAT NAME  
Wildcat Morrow
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
34-25-35
12. COUNTY OR PARISH  
Lea
13. STATE  
NM
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3165.1 GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

On 10-9-82, Sharp #35 drilled to a total depth 5,176'. Ran 13-3/8" N-80 and K-55, 72# and 68#/ft. set at 5,176'. Cemented with 4450 SX lite with additives and 400 SX class C with additives. Circulated 1500 SX. WOC 18 hours. Reduced bit to 12-1/4" and resumed drilling. Currently drilling.

0+6-MMS, R 1-HOU 1-W. Stafford, HOU 1-CMH

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Charles M. Lerring TITLE Ast. Adm. Analyst DATE 10-26-82

ACCEPTED FOR RECORD (This space for Federal or State office use)

APPROVED BY (ORIG. SGD.) DAVID R. GLASS

CONDITIONS OF APPROVAL IF ANY: \_\_\_\_\_ DATE \_\_\_\_\_

NOV 8 1982

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

\*See Instructions on Reverse Side

RECEIVED  
NOV 10 1982  
C. C. R.  
HOBBS OFFICE